

U.S. Army Corps of Engineers Omaha District

Draft Technical Project Planning Memorandum Fort Flagler Military Reservation FUDS ID F10WA0316

Site Inspections at Multiple Sites, NWO Region Formerly Used Defense Sites, Military Munitions Response Program

Contract No. W912DY-04-D-0010 Delivery Order No. 003

October 6, 2006



9201 East Dry Creek Road Centennial, CO 80112

Draft Technical Project Planning Memorandum

Site Inspection Fort Flagler Military Reservation Formerly Used Defense Site FUDS ID F10WA0316

Military Munitions Response Program

Documentation for Technical Project Planning Meeting Bureau of Land Management Lacey, Washington July 24, 2006

Hosted by U.S. Army Corps of Engineers

Prepared by Shaw Environmental, Inc.

October 6, 2006

Concurrences		
USACE Omaha Design Center	Michael Watson	
USACE Seattle District		
Washington Department of Ecology	Mike Nelson	
	Greg Johnson	
Shaw Environmental, Inc.	Peter Kelsall	

TABLE OF CONTENTS

ABBREVIATIONS AND ACRONYMS	, ii
ADMINISTRATIVE INFORMATION	. 2
Technical Project Planning Meeting Summary	. 2
Additional Information from Public Information Meeting	
SITE INSPECTION OBJECTIVES	. 2
Goal	
Objectives	
Roles & Responsibilities	
Site Inspection Process	
Technical Project Planning Process	
BACKGROUND INFORMATION	
Site Description and Regulatory History	
Operational History and MEC/MC Characteristics	
Groundwater	
Surface Water	
Terrestrial Exposure	
Air	
CONCEPTUAL SITE MODEL	
Overview	
Conceptual Site Model – Range Complex AOC	
Conceptual Site Model – Ammunition Bunker AOC	
Conceptual Site Model – Transition Range 1 AOC	. 2
Conceptual Site Model – Transition Range 2 AOC	
Conceptual Site Model – Gas Chamber AOC	
Conceptual Site Model – Rifle Grenade/Anti-Tank Rocket Range AOC	. 2
Conceptual Site Model – Live Grenade Court	. 2
Conceptual Site Model – Practice Grenade Court	. 2
Conceptual Site Model – Rifle Range AOC	. 2
Conceptual Site Model – Demolition Area AOC	
Conceptual Site Model – Quartermaster Wharf Area AOC	. 2
Data Gaps	. 2
PROPOSED SAMPLING SCHEME	. 2
Proposed Field Investigation	. 2
TPP MEETING NOTES AND DATA QUALITY OBJECTIVES	. 2
Technical Project Planning and Development of Data Quality Objectives	
TPP Phases	
Data Quality Objectives	. 2
Next Steps	. 2
FIGURES	
TABLES	
DRAFT WORKSHEETS	
ATTACHMENT A	2

ABBREVIATIONS AND ACRONYMS

AOC area of concern

ASR Archives Search Report

Ft. Flagler Fort Flagler Military Reservation

CRREL Cold Regions Research and Engineering Laboratory

CSM Conceptual Site Model
DoD Department of Defense
DQO Data Quality Objective
F degrees Fahrenheit

ft foot or feet

FUDS Formerly Used Defense Site
GPS global positioning system
HRS Hazard Ranking System
INPR Inventory Project Report
MC munitions constituents

MEC munitions and explosives of concern

mm millimeter

MMRP Military Munitions Response Program

MRSPP Munitions Response Site Prioritization Protocol NDAI No Department of Defense Action Indicated NOAA National Oceanic & Atmospheric Administration

OB/OD Open Burning/Open Detonation PCOC potential contaminant of concern

PETN pentaerythritol tetranitrate RAC Risk Assessment Code

RI/FS Remedial Investigation/Feasibility Study

Shaw Environmental, Inc.

SI Site Inspection

SSWP Site-Specific Work Plan

State Parks Washington State Parks Department

TCRA time-critical removal action
TPP Technical Project Planning
USACE U.S. Army Corps of Engineers

USEPA U.S. Environmental Protection Agency

UXO unexploded ordnance

WDOE Washington Department of Ecology

Work Plan Type I Work Plan, Site Inspections at Multiple Sites

yd yard(s)

Administrative Information

The Technical Project Planning (TPP) Memorandum is one in a series of documents used during the Site Inspection (SI) process to document the information collected and processes used to evaluate Formerly Used Defense Sites (FUDS) for the possible presence of munitions and explosives of concern (MEC) and/or munitions constituents (MC). TPP meeting information provided in the Memorandum reflects both the original version of information shared with meeting participants, as well as changes/updates to site-specific information obtained during the TPP meeting.

The TPP meeting for the former Fort Flagler Military Reservation (Ft. Flagler) was conducted on July 24, 2006 at the Washington Department of Ecology office in Lacey, Washington. Representatives from the U.S. Army Corps of Engineers (USACE) – Omaha Design Center and Seattle District, the Washington Department of Ecology (WDOE), Washington State Parks Department (State Parks), and Shaw Environmental, Inc. (Shaw) were in attendance. By agreement with the USACE, nearby landowners (other than State Parks) were not present at this meeting. A separate meeting intended to present the SI objectives to nearby landowners or interested members of the public was held in the evening on the same day at Ft. Flagler State Park. This was attended by the same attendees as the earlier meeting plus three State Parks volunteers. No landowners or members of the general public attended. A formal site tour was not conducted as part of this meeting; however some of the areas of interest are readily visible from public roads.

The TPP Memorandum documents discussions for the TPP meeting and includes the sections described below:

- **Administrative Information:** includes meeting logistics, the list of attendees, and a summary of the meeting;
- **Site Inspection Objectives:** provides the goal and objectives of the SI, roles and responsibilities, the SI process, and the TPP process;
- Background Information: includes site and project history, area physical setting, a summary of previous environmental work, and an introduction to the areas of concern (AOCs) addressed by the SI;
- Conceptual Site Model (CSM): identifies environmental attributes, potential human and ecological receptors in the area's environment, and the relationships between these factors:
- **Proposed Sampling Scheme:** describes the type and quantity of samples to be taken, and the analytical methods to be used for characterizing the AOC;
- TPP Notes and Data Quality Objectives (DQOs): captures project and site-specific information as discussed during the TPP meeting to ensure the necessary and appropriate information is shared among meeting participants, and that meeting participants concur with the identified goal, objectives, and approach used to complete the SI process; and
- Worksheets: includes the Site Information Worksheet, Draft Munitions Response Site Prioritization Protocol (MRSPP) Data Gaps, and Hazard Ranking System (HRS) Data Gaps.

Site: Fort Flagler Military Reservation

Location: Lacey, Washington **USACE District:** Seattle

TPP #1 Meeting Location: Washington Department of Ecology, Lacey, Washington

TPP #1 Meeting Date: 7/24/06

Agenda

- Convene at Washington Department of Ecology Office
 - Introductions
 - Review Site Inspection Objectives
 - Goals, Objectives, Roles & Responsibilities
 - Site Inspection Process
 - TPP Process
 - Review of Background Information
- Break for Lunch
- Technical Project Planning Discussion
- Conclude Meeting
- Public Meeting (evening)

TPP Meeting Attendees

Michael Watson	USACE	
Mike Nelson	USACE	
Greg Johnson	WDOE	
Sandra Caldwel	WDOE	
Barry Rozowski	WDOE	
Mike Zimmerman	Washington State Parks	
Ted Smith	Washington State Parks	
Dale Landon	Shaw	
Peter Kelsall	Shaw	

Technical Project Planning Meeting Summary

- 1. There was general agreement among stakeholders on SI objectives and approach.
- 2. WDOE provided a map obtained from State Parks that identifies several potential AOCs that were not included in the ASR. A copy of the map is included as Attachment A. Based on this map and resulting discussion, the following additional AOCs have been included in this TPP Memorandum:
 - Quartermaster Wharf Area. The ASR identified the Quartermaster Wharf Beach as a potential AOC. The area appears to be a disposal site where unwanted supplies were discarded on the beach. A park volunteer has found two, fiveround .30-caliber ammunition clips on the beach. State Parks has a list of items found in this area, possibly including a live grenade. WDOE believes the ASR suggests this was an Open Burn/Open Detonation (OB/OD) area (noting that OB/OD was done on the beach at the Fort Townsend site). The area is used by public for beachcombing and items found there suggest it was a general garbage disposal area. Stakeholders agreed that a remedial investigation (RI) will be required because MEC has been found. The SI will include one composite sample to be analyzed for explosives.
 - **Demolition Area**. Shown on the historic map (Attachment A) provided by the State Park, the area is now used for a campground near the spit. Name suggests OB/OD area. Comparison of topography from the old map to current maps suggests that this area has been infilled to develop the raised flat area used for picnicking and camping.
 - Live Grenade Court. Shown on the historic map; currently within an unused area.
 - **Practice Grenade Court**. Shown on historic map; currently within an unused area
 - **Ammunition Bunker**. Shown on historic map; located between Batteries Calwell and Downes.
 - Transition Range. Shown on historic map; currently within an unused area.

Other areas identified on the map included a Squad Tactical Area and an Embarkation Area. These sites likely did not involve the use or firing of weapons or munitions.

- 3. Shaw agreed with WDOE that visual reconnaissance for MEC should be conducted at the battery locations. At the TPP meeting in Lacey, Shaw proposed to conduct MC sampling around the batteries. However, based on discussion of the configuration and use of the batteries, combined with visual inspection later in the day, Shaw now proposes that there will be no MC sampling associated with the batteries. The reasons for this are:
 - The batteries are permanent structures in which the guns were emplaced in concrete structures and serviced by paved roads. It is unlikely that there was casual disposal of MEC in the vicinity of the battery.
 - The guns were seldom used.

- Shaw cited research from Cold Regions Research and Engineering Laboratory (CRREL) that there is little MC associated with muzzle deposits.
- Areas around the batteries are paved with storm drains. It is extremely unlikely
 that there are any remaining affected sediments from guns that were operated preWorld War II.
- 4. The Park currently obtains water from the public supply. State Parks indicated there may have been a well in the past and will research.
- 5. One of WDOE's main concerns is the camping area at the Rifle Grenade/Anti-Tank Rocket Range AOC. An unexploded ordnance (UXO) clearance was conducted in the adjacent wooded area in 1992. Additional review of old aerial photographs and topographic maps will be helpful to evaluate the history of this area.

Additional Information from Public Information Meeting

A separate meeting intended to present the SI objectives to nearby landowners or interested members of the public was held in the evening on July 24, 2006 at the Retreat Center at Ft. Flagler State Park. This was attended by the same attendees as the earlier meeting plus three State Parks volunteers. No landowners or members of the general public attended.

- Bob Brown, volunteer archivist for State Parks said that he and another volunteer, Howard Briggs had found "lots of archive material" at USACE Seattle.
- Mr. Brown found a map in the museum, showing AOCs not included in the ASR (Attachment A).
- Rifle Range Reconstructed exactly as it was when used. Should be lots of lead in the berm in front of the target. There are reports that they had to build a wall on the hill behind the targets to protect the power station below Battery Lee. Mr. Brown thought that the ponds have always been there, but Mr. Briggs thought that there may have been cattle there at one time. Mike Zimmerman (State Parks) noted that the sea washed over this area a year or two ago.
- Demo Area Mr. Brown and Mr. Briggs do not know use of this area. Mr. Briggs said that in the 1960's there were warning signs in this area for UXO. Mr. Briggs also said that there was a concrete breakwater in this area that was removed.
- As shown on the map, there was a transition range just east of the main gate. An oldtimer has said that this was an area used for firing.
- Grenade Courts These are still visible.
- Areas with alder trees and no fir trees signify disturbance.
- Mr. Zimmerman had heard that during the Korean War, amphibious groups landed on the spit and that this may have been the cause of the split in the spit.
- There are two 90 millimeter sites west of the coast guard house with concrete pads still visible at low tide.
- Comparison of the map found by Mr. Brown and the present topography indicates that fill has been placed in the area of the campsite and the demo area shown on the map. Mr. Zimmerman asked if the Seattle District would have records of this work.
- Mr. Brown thought that he had heard that there was a disposal area across the road south of Bankhead Battery.

- Part of the lagoon area near the rifle range is on National Oceanic & Atmospheric Administration (NOAA) property.
- It was suggested that the retired rangers be interviewed. Mr. Zimmerman said that he could provide names.
- Greg Johnson (WDOE) said that he would like to see analysis of older aerial photographs.
- Mr. Brown indicated that it has always been State Parks policy to encourage people to stay on the trails. He and Mr. Briggs noted that there is very dense brush off most of the trails.

Site Inspection Objectives

Goal

 The USACE is conducting SIs of FUDS properties to determine if any MEC or related MC are present on property formerly owned or leased by the Department of Defense (DoD).

Objectives

- Determine if the site requires further response action due to the presence of MEC/MC.
- Collect minimum information needed to:
 - Eliminate a site from further consideration if:
 - No evidence of MEC and/or
 - Concentrations of MC in samples are below risk-based action levels, or below background concentrations; or
 - Determine the potential need for removal action or initiation of the Remedial Investigation/Feasibility Study (RI/FS) if:
 - MEC identified and/or
 - Concentrations of MC in samples exceed risk-based action levels and background concentrations.
 - Provide sufficient data to support prioritization of future actions under the HRS and MRSPP.

Roles & Responsibilities

- USACE: Acts as the executing agency for the DoD with regard to the FUDS program. In this role, the USACE has decision making authority and is responsible for ensuring work is conducted in accordance with applicable USACE and federal guidance. Additionally, USACE coordinates and works with project team members to meet needs expressed by regulatory agencies and stakeholders to the extent possible within programmatic guidelines.
- **Regulatory Agency:** Participates in planning of SI activities to ensure the project meets applicable state standards and requirements.
- Property Owner(s): Provides available and pertinent information about the area, provides insight on current and anticipated future land uses for the property, and participates in project team discussions.
- **Shaw**: As a contractor to the USACE, conducts work on behalf of the USACE, provides TPP materials, and conducts and reports SI activities.

Site Inspection Process

- Data review,
- TPP.
- Site-Specific Work Plan (SSWP),
- SI field activities reconnaissance, sampling, and analysis, and
- SI Report.

Technical Project Planning Process

- Conduct TPP meeting(s)* with key organizations and stakeholders;
- Identify stakeholder(s) concerns;
- Identify all AOCs for this SI;
- Review site information;
- Verify current and anticipated future land use;
- Develop CSM;
- Identify data gaps;
- Plan how to address data gaps;
- Develop DQOs for meeting SI requirements; and
- Concur on SI field work approach.

^{*} Second TPP meeting to be determined by team members during the first TPP meeting.

Background Information

Site Description and Regulatory History

Historical information (including references to interviews and historical documents) contained in this package was obtained from the *Archives Search Report* (ASR) (USACE, 2005) and *Inventory Project Report* (INPR) *Supplement* (USACE, 2004) for Ft. Flagler.

Ft. Flagler was originally used (1899 through 1946) as a coastal artillery battery to protect Puget Sound from enemy ships. Following World War II, the site was used for training engineers and amphibious units.

Site Location

- The former Ft. Flagler is located in Jefferson County, Washington, near Port Townsend, Washington on the west side of Puget Sound (Figure 1).
- Ft. Flagler occupied 812.7 acres that were acquired between 1866 and 1952.

Physical Setting

- Ft. Flagler lies within the Puget Trough Section of the Pacific Border Physiographic Province.
- The elevation of the area ranges from approximately sea level to 180 feet (ft).
- Ft. Flagler is a forested site containing conifers (fir and cedar) and deciduous (alder and oak) trees and heavy underbrush.
- The site is currently a State Park, with campgrounds, picnic areas, buildings, and visitor facilities.
- Port Townsend, Washington, is the nearest incorporated community (approximately 18 miles by road and 4 miles by water) with a population of 8,810 (2004 estimated census).
- The climate at Ft. Flagler is a west coast marine type with comparatively cool, dry summers and mild but wet and cloudy winters. The area is within the "rain shadow" of the Olympic Mountains and is the driest area in western Washington State. The wettest months are generally November and December, with the driest months being July and August. The highest monthly average temperature for Port Townsend is 72.2 degrees Fahrenheit (°F) in August and the lowest monthly average temperature is 36.3 °F in January. Port Townsend's average annual precipitation is 19.12 inches per year, with an average annual snowfall of 4 inches.
- Ft. Flagler FUDS is currently owned by the Washington State Parks Department and the United States Geological Survey, which maintains an experimental station at the site.
- Site access is uncontrolled.

Previous Investigations and Regulatory History

• Ft. Flagler was certified as being decontaminated in 1954 and again in 1959.

- A Findings and Determination of Eligibility and an INPR were completed in 1991, which concluded that Ft. Flagler had been formerly used by the War Department.
- In 1992, a time-critical removal action (TCRA) was completed to remove anti-tank rockets and other MEC from the rocket range.
- Thirteen underground fuel tanks were removed under the Hazardous, Toxic, and Radioactive Waste program (undated). MEC or MC related items were not addressed in that project.
- The USACE issued an INPR Supplement in 2004, which compiled available information for Ft. Flagler and identified three AOCs: the Range Complex, the Rocket Range, and Transition Range 2 (location unknown). The Range Complex consisted of the nine artillery batteries, Transition Range 1, and the Gas Chamber.
- The USACE issued an ASR in April 2005 that compiled available information on the history and use of Ft. Flagler, with emphasis on types and areas of ordnance use and disposal. The ASR included a visit to the site in July 2003. The primary purpose of the site visit was to assess the presence of MEC through non-intrusive means. The ASR identified two additional AOCs: the Rifle Range and the Quartermaster Wharf Disposal Area.
- A Risk Assessment Code (RAC) scoring was included in the ASR. The areas scored were grouped by site usage rather than by AOC name. Possible scores range from 5 (no risk) to 1 (high risk). Below are the RAC scores.

Area	RAC Score	MEC Found
Rocket Range	5	No
Rifle Range	5	No
Transition Range	5	No
Disposal Site (Quartermaster Wharf)	3	Yes – small arms
Remaining Lands	5	No
Offshore Ordnance Area	5	No

Operational History and MEC/MC Characteristics

Historic Military Operations

- The U.S. government acquired 550 acres of land for Ft. Flagler in 1866. Construction of the first coastal batteries did not begin until 1897. Additional acreage was acquired over the years until the site grew to 809 acres.
- Between 1900 and 1946, the site was used as a coastal defense installation.

- During World War II, the Navy also operated an underwater listening station at Ft. Flagler.
- In 1950, all harbor defenses around Puget Sound were abolished including Ft. Flagler. The site was used for amphibious training and maneuvers after the coastal artillery weapons were removed.
- In 1953, Ft. Flagler was closed and the property was eventually (1954) transferred to the State of Washington for use as a State Park.

MEC/MC Characteristics

- Based on the ASR and the INPR Supplement, and information gathered during the TPP meeting, the MEC used at Ft. Flagler consisted of:
 - Coastal artillery batteries ranging in size from 3-inch to 12-inch,
 - Small arms.
 - 37 mm portable anti-aircraft guns,
 - Mark II hand grenade,
 - M21 practice hand grenade,
 - .50-caliber machine guns, and
 - 2.36-inch and 3.5-inch anti-tank rockets.

Groundwater

- The geology of the area is controlled by the last glaciation period between 12,000 and 15,000 years ago. Glacial deposits consist of thick sequences of glacial till and sand and gravel.
- Soil at the site consists of coastal beaches, Whidbey gravelly sandy loam, and Dick loamy sand.
- The depth to water, based on wells immediately south of the park, is between 58 to 125 ft.

Surface Water

- There are no streams or fresh surface water on the site.
- Puget Sound, an intercoastal waterway (saltwater), surrounds the site on three sides (north, east, and west).

Terrestrial Exposure

 Based on the size and population of Jefferson County, Washington, the population density is approximately 10 persons per square mile.

- Ft. Flagler has permanent residents (park employees) and offers camping facilities to recreational users.
- The area south of Ft. Flagler is populated with private residences.
- The ASR identified only occasional transient bald eagles as the only protected species. The Washington Department of Fish and Wildlife and the U.S. Fish and Wildlife Service have been contacted to provide specific information about the site.
- There is one known archaeological site located within at Ft. Flagler. The specific location is not known. The office of Archaeology and Historic Preservation will be contacted to provide up-to-date information on the site.
- Ft. Flagler is listed on both the National Register of Historic Places and on the Washington Heritage Register.

Air

- Ft. Flagler State Park has full and part-time residents on site.
- The town of Port Townsend is approximately 4 miles to the west of the site.

Conceptual Site Model

Overview

A site-specific CSM summarizes available site information and identifies relationships between exposure pathways and associated receptors. A CSM is used to determine the data types necessary to describe site conditions and quantify receptor exposure, and discusses the following information:

- Current site conditions and future land use;
- Potential contaminant sources (e.g., lead projectiles in an impact berm);
- Affected media;
- Governing fate and transport processes (e.g., surface water runoff and/or groundwater migration);
- Exposure media (i.e., media through which receptors could contact site-related contamination);
- Routes of exposure (e.g., inhalation, incidental ingestion, and dermal contact); and
- Potential human and/or representative ecological receptors at the exposure point.
 Receptors likely to be exposed to site contaminants are identified based on current and expected future land uses.

The CSM is evaluated for completeness and further developed as needed through TPP meetings. Based on a review of documents and the discussion during the TPP meeting, following AOCs and subranges are identified within the Ft. Flagler FUDS:

- Range Complex:
 - Battery Bankhead,
 - Battery Calwell,
 - Battery Downes,
 - Battery Gratton,
 - Battery Lee,
 - Battery Rawlins (includes Anti-torpedo Boat Battery),
 - Battery Revere,
 - Battery Wansboro,
 - Battery Wilhelm, and
 - Anti-Aircraft Artillery Battery.
- Ammunition Bunker
- Transition Range 1,
- Transition Range 2,
- Gas Chamber.
- Rifle Grenade/Anti-Tank Rocket Range,

- Live Grenade Court,
- Practice Grenade Court,
- Rifle Range,
- Demolition Area, and
- Quartermaster Wharf Area.

CSMs are provided for these AOCs. MEC and MC are analyzed individually within the CSM.

The location of two potential AOCs could not be identified. The pistol range has not been located, but it is suspected that it was collocated with the rifle range. The locations of the 37 mm mobile artillery and .50-caliber machine guns are unknown. The ASR stated that the assessment team thought that the likely locations of the 37 mm artillery and machine guns were at gun batteries that were abandoned prior to World War II.

The Off Shore Ordnance Area consists of the impact areas used for test firing the artillery guns. The impact areas are within Puget Sound at least several hundred yards offshore. The offshore area is not discussed in this TPP Memorandum.

Conceptual Site Model – Range Complex AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Range Complex AOC consists of 10 coastal artillery batteries. Figures 2 and 3 show the locations of the batteries. The batteries include:

- Battery Bankhead,
- Battery Calwell,
- Battery Downes,
- Battery Gratton,
- Battery Lee,
- Battery Rawlins,
- Battery Revere (Anti-Torpedo Boat Battery),
- Battery Wansboro,
- Battery Wilhelm, and
- Anti-Aircraft Artillery Battery.

Current and Future Land Use

- Currently, the site is used as a State Park that offers camping, boating, fishing, shoreline use, hiking, and historical interpretive information.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources - Range Complex

The ASR identified that the Range Complex AOC was used as a coastal defense battery. The range fans for the batteries were out over Puget Sound beyond the FUDS boundary and no firing onto land occurred. The Anti-Torpedo Boat Battery was located at Battery Revere after the original 10-inch gun tubes were removed in 1941. It is unknown how often the artillery guns were fired or whether the firing included high explosive rounds in addition to inert practice rounds. In a report dated 1933, it was stated that the two guns at Battery Revere were fired 111 and 94 times, respectively, as part of a testing program.

MEC Evaluation

Types of MEC

- Potential MEC within the Range complex are listed on Table 1 and include propellant charges, artillery shells, and projectiles. An explosive hazard could exist if artillery shells or propellant charges were improperly handled at the batteries and discarded nearby.
- The batteries are permanent structures in which the guns were emplaced in concrete structures and serviced by paved roads. It is unlikely that there was casual disposal of MEC in the vicinity of the battery.
- Based on over 50 years of park use surrounding the batteries, no evidence of MEC has been reported. MEC is not expected at the coastal batteries.

Surface Exposure Pathway

• Because of the unlikely occurrence of MEC at the batteries, the surface exposure pathway is considered incomplete.

Subsurface Exposure Pathway

 Because of the unlikely occurrence of MEC at the batteries, the subsurface exposure pathway is considered incomplete.

MEC Evaluation/Investigation Needed

Visual reconnaissance will be performed to verify current conditions.

Figure 4 illustrates the CSM for the artillery batteries.

MC Evaluation

Types of MC

- The potential MC at the Ft. Flagler Range Complex includes explosives (TNT and ammonium picrate) and lead and steel from projectiles. Propellants were either single-base (nitrocellulose), double-base type (nitrocellulose and nitroglycerine), or triple-base type (nitrocellulose, nitroglycerine, and nitroguanidine).
- The projectiles were fired at offshore targets. Therefore, there is no exposure path for MC associated with projectiles near the batteries.
- There is potential for MC deposited from muzzle releases in front of the batteries. However, the guns were seldom used and research from CRREL indicates that there is little MC associated with muzzle deposits even in cases with much more frequent use.

Overview of Pathways

Based on the discussion above, there are no exposure potential pathways for MC at the batteries. No MC sampling is proposed.

Conceptual Site Model – Ammunition Bunker AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Ammunition Bunker is a single AOC shown on Figure 3. The location of this AOC is taken from a War Department map (Attachment A) obtained during the TPP meeting.

Current and Future Land Use

- Currently, the AOC is part of the State Park, and is located between Battery Calwell and Battery Downs.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources – Ammunition Bunker

• The Ammunition Bunker was used between 1942 and 1954 for ammunition storage.

MEC Evaluation

Types of MEC

• All types of munitions used at Ft. Flagler between 1942 and 1954 may have been stored here. However, munitions for the artillery batteries would not have been stored at this location as each battery had its own storage bunker. The types of MEC may have included small arms, hand grenades, riot control training grenade, 2.36-inch and 3.5-inch practice and high explosive rockets, and practice and live hand grenades.

Surface Exposure Pathway

- The potential route of human exposure to MEC or munitions debris includes direct contact by vehicles, foot traffic, or handling. This would include park workers and visitors.
- The potential route of wildlife exposure to MEC or munitions debris would be by directly walking on them.

Subsurface Exposure Pathway

- The potential routes of human exposure to MEC or munitions debris would be by intrusive drilling or digging activities. This includes park workers and visitors.
- The potential route of wildlife exposure to MEC or munitions debris would be by burrowing activities.

An analysis of the exposure pathways and receptors for MEC is provided in Table 2.

MEC Evaluation/Investigation Needed

 Visual reconnaissance will be performed around the Ammunition Bunker to evaluate the presence/absence of MEC.

MC Evaluation

Types of MC

• The anticipated MC at the Ft. Flagler Ammunition Bunker AOC is lead from small arms, metals from munitions, propellants (single- or double-base powder), explosives (including nitroglycerin and pentaerythritol tetranitrate [PETN]), and perchlorate.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Ammunition Bunker AOC, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area through ponding of precipitation. Sediment also serves as a secondary source for surface water and groundwater contamination. There is no established surface water drainage at the AOC. The only nearby surface water is Puget Sound, a very large, tidal, saltwater body that contains abundant ecological receptors. Surface water will be evaluated via sediments.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Ammunition Bunker AOC include soil and sediments/surface water. A pathway evaluation for each media is discussed below and provided in Table 2.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes of wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

Park workers and visitors.

Wildlife.

MC Soil Evaluation/Investigation Needed

• If during the visual reconnaissance, evidence of MEC or MEC debris is located in the area surrounding the bunker, one composite soil sample will be collected from the location of MEC or MEC debris. The samples will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.

Sediment/Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments/surface water.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment/surface water.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

- If during the visual reconnaissance, evidence of MEC or MEC debris is located in the area surrounding the bunker, one discrete sediment sample will be collected from a water collection area. The sample will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
- No surface water sample will be collect from Puget Sound. Because of the length of time since the DoD use of this AOC and the size of the body of water, any accumulation of contaminants in the water is expected to be below analytical detection limits and levels of concern.

Conceptual Site Model – Transition Range 1 AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Transition Range 1 is a single AOC shown on Figure 5. The outline of this AOC is taken from the INPR Supplement.

Current and Future Land Use

- Currently, the AOC is part of the State Park, and is located south of the Cantonment Area, park administrative offices, and visitor areas.
- The AOC has hiking trails traversing though it.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources – Transition Range 1

 The INPR Supplement identified that Transition Range 1 was used between 1942 and 1954 for small arms use.

MEC Evaluation

Types of MEC

 Because this AOC was used for small arms only, MEC (other than small arms) is not expected to be present. The potential for live small arms rounds exists, but these do not pose a significant explosive hazard.

Surface Exposure Pathway

 Because there is no MEC at this AOC, the surface exposure pathway is considered incomplete.

Subsurface Exposure Pathway

 Because there is no MEC at this AOC, the subsurface exposure pathway is considered incomplete.

MEC Evaluation/Investigation Needed

No visual reconnaissance will be performed within the Transition Range 1 AOC as MEC is not expected to be present.

MC Evaluation

Types of MC

The anticipated MC at the Ft. Flagler Transition Range 1 AOC is lead from small arms. Propellants (single- or double-base powder) for the small arms are not thought to pose a significant impact.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Transition Range 1 AOC, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area through ponding of precipitation. Sediment also serves as a secondary source for surface water and groundwater contamination. There is no established surface water drainage at the AOC. The only nearby surface water is Puget Sound, a very large, tidal, saltwater body that contains abundant ecological receptors. Surface water will be evaluated via sediments.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Transition Range 1 AOC include soil and sediments/surface water. A pathway evaluation for each media is discussed below and provided in Table 2.

Figure 6 illustrates the CSM for the Transition Range 1 and potential pathway of MC contamination.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes of wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

 Two composite soil samples are proposed to be collected from this AOC near the location of the target berm. Samples will be analyzed for lead only.

Sediment/Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments/surface water.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment/surface water.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

- One sediment sample will be collected from a water collection area within the AOC. The sample will be analyzed for lead only.
- No surface water sample will be collect from Puget Sound. Because of the length of time since the DoD use of this AOC and the size of the body of water, any accumulation of contaminants in the water is expected to be below analytical detection limits and levels of concern.

Conceptual Site Model – Transition Range 2 AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Transition Range 2 is a single AOC shown on Figure 7. The location of this AOC is taken from a War Department map (Attachment A) obtained during the TPP meeting. The INPR Supplement stated that available information indicated that the range was 55 x 130 yards in size with 12 targets. However, the INPR Supplement did not know the location of the AOC.

Current and Future Land Use

- Currently, the AOC is part of the State Park, and is located along the southern boundary of the Park, near the main entrance road.
- There is an access road that traverses along the southern boundary of the AOC.
- The use as a State Park will likely continue into the foreseeable future.

<u>Potential Contaminant Sources – Transition Range 2</u>

• The ASR and INPR Supplement identified a Transition Range 2; however, its location was unknown. It was used between 1942 and 1954 for small arms use.

MEC Evaluation

Types of MEC

 Because this AOC was used for small arms only, MEC (other than small arms) is not expected to be present. The potential for live small arms rounds exists, but these do not pose a significant explosive hazard.

Surface Exposure Pathway

 Because there is no MEC at this AOC, the surface exposure pathway is considered incomplete.

Subsurface Exposure Pathway

 Because there is no MEC at this AOC, the subsurface exposure pathway is considered incomplete.

MEC Evaluation/Investigation Needed

No visual reconnaissance will be performed within the Transition Range 2 AOC as MEC is not expected to be present.

MC Evaluation

Types of MC

The anticipated MC at Transition Range 2 AOC is lead from small arms. Propellants (single- or double-base powder) for the small arms are not thought to pose a significant impact.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Transition Range 2 AOC, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area through ponding of precipitation. Sediment also serves as a secondary source for surface water and groundwater contamination. There is no established surface water drainage at the AOC. The only nearby surface water is Puget Sound, a very large, tidal, saltwater body that contains abundant ecological receptors. Surface water will be evaluated via sediments.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Transition Range 2 AOC include soil and sediments/surface water. A pathway evaluation for each media is discussed below and provided in Table 2.

Figure 6 illustrates the CSM for the Transition Range 2 and potential pathway of MC contamination.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes of wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

 Two composite soil samples are proposed to be collected from this AOC near the location of the target berm. Samples will be analyzed for lead only.

Sediment/Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments/surface water.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment/surface water.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

- One sediment sample will be collected from a water collection area within the AOC. The sample will be analyzed for lead only.
- No surface water sample will be collect from Puget Sound. Because of the length of time since the DoD use of this AOC and the size of the body of water, any accumulation of contaminants in the water is expected to be below analytical detection limits and levels of concern.

Conceptual Site Model – Gas Chamber AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Gas Chamber is a single AOC and was located within the bunkered area of Battery Wansboro once the artillery guns were removed. The AOC location is shown on Figure 8. The outline of the AOC is from the INPR Supplement.

Current and Future Land Use

- Currently, the AOC is part of the State Park and is within Battery Wansboro on the southeast side of the FUDS.
- The AOC is used by visitors on a daily basis.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources - Gas Chamber

• The INPR Supplement identified that the Gas Chamber was used between 1942 and 1954 for gas training of troops.

MEC Evaluation

Types of MEC

• The only munitions identified as used at this AOC were gas grenades containing riot control agent CN-1. There is minimal explosive hazard associated with gas grenades.

Surface Exposure Pathway

Because there is no MEC at this AOC, the surface exposure pathway is incomplete.

Subsurface Exposure Pathway

Because there is no MEC at this AOC, the subsurface exposure pathway is incomplete.

MEC Evaluation/Investigation Needed

• A visual reconnaissance will be performed in the area of the Gas Chamber AOC to verify current conditions. No MEC is expected to be present.

MC Evaluation

Types of MC

• The MC at the Ft. Flagler Gas Chamber AOC is riot control agent CN-1. CN-1 is an irritant that is similar to mace.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: Soil is the primary medium of concern because of possible MC in the soil from training activities. However, riot control agents are not persistent and any release to soil would be expected to be neutralized by weathering and time and not be present in the soil today. There is no complete soil pathway.
- Sediment/Surface Water: Sediments may accumulate in the area through ponding of precipitation. There is no established surface water drainage at the AOC. The only surface water is Puget Sound. Riot control agents are not persistent and any release to sediment or surface water would be expected to be neutralized by weathering and time and not be present today. There is no complete sediment/surface water pathway.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, riot control agents are not persistent and any release to soil and eventually groundwater would be expected to be neutralized by weathering and time and not be present in the soil today. There is no complete groundwater pathway.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

There are no complete exposure pathways for the Ft. Flagler Gas Chamber AOC.

Conceptual Site Model – Rifle Grenade/Anti-Tank Rocket Range AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Rifle Grenade/Anti-Tank Rocket Range AOC is an amphibious assault training area located near the lower camp ground at the State Park. A portion of this AOC was cleared of UXO in 1992. The area cleared is shown on Figure 9. Throughout most of the clearance area, all vegetation (except standing trees) was removed and 100 percent of the ground surface was cleared using a handheld magnetometer. The eastern leg of the clearance area did not receive a 100 percent clearance because of heavy forestation and downed trees.

Also included within the footprint of this AOC is a 1000-inch/Machine Gun Range, which was identified on the State Park historic map (Attachment A).

Current and Future Land Use

- Currently, the AOC is part of the State Park and a camping area is located within this AOC. In addition, boating, fishing, shoreline use, and hiking occur in this area.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources – Rifle grenade/Anti-Tank Rocket Range

- The ASR identified that the Rifle Grenade/Anti-Tank Rocket Range was used between 1942 and 1954 for amphibious assault exercises. Munitions used included 3.5-inch and 2.36-inch rockets and small arms.
- The 1000-inch/Machine Gun Range included small arms and machine gun use.
- The location of the beach portion of this AOC coincides with the Debarkation Area identified in a War Department map (Attachment A) obtained at the TPP meeting. The two areas are included as one AOC in this TPP Memorandum. The map identified the Debarkation Area as having "beach obstacles."
- During the 1992 UXO clearance, the following MEC and MEC debris were recovered:
 - 2.36-inch expended rocket motors, 172 items.
 - 2.36-inch rockets with live warhead, 3 items.
 - 2.36-inch rockets with live fuse, 2 items.
 - 3.5-inch expended rocket motors, 2 items.
 - 1 live training hand grenade.
 - 1 Bangalore torpedo fuse housing, inert.

- Anti-tank/anti-vehicle mines, inert, 12 items.
- Empty .30-caliber casings, 16 items.

MEC Evaluation

Types of MEC

Potential MEC within the Rifle Grenade/Anti-Tank Rocket Range AOC are listed on Table 1 and include rockets, hand grenades, mines, and, small arms. Explosive hazards from the mines and small arms are not expected.

Surface Exposure Pathway

- The potential route of human exposure to MEC or munitions debris includes direct contact by vehicles, foot traffic, or handling. This would include park workers and visitors.
- The potential route of wildlife exposure to MEC or munitions debris would be by directly walking on them.

Subsurface Exposure Pathway

- The potential routes of human exposure to MEC or munitions debris would be by intrusive drilling or digging activities. This includes park workers and visitors.
- The potential route of wildlife exposure to MEC or munitions debris would be by burrowing activities.

An analysis of the exposure pathways and receptors for MEC is provided in Table 2.

MEC Evaluation/Investigation Needed

Visual reconnaissance aided by a handheld magnetometer will be performed by a trained UXO technician within a portion of the Rifle Grenade/Anti-Tank Rocket Range AOC. Based on the 1992 UXO clearance, there is a possibility that MEC is present in the eastern portion of the clearance area, which was not cleared to 100 percent because of heavy vegetation and downed trees. However, it should be noted that this area is very heavily forested with fallen trees and heavy underbrush and only limited reconnaissance can be performed.

MC Evaluation

Types of MC

- The anticipated MC at the Ft. Flagler Rifle Grenade/Anti-Tank Rocket Range AOC is steel from rockets, lead from small arms, propellant from the rocket motors, and explosives.
- The propellant for the 3.5-inch rockets likely contained potassium perchlorate.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Rifle Grenade/Anti-Tank Rocket Range, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area in small ponds or puddles. Sediment serves as a potential source for surface water, groundwater, and air contamination. There is no established surface water drainage at the AOC. The only surface water is Puget Sound. Surface water will be evaluated via sediments.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Rifle Grenade/Anti-Tank Rocket Range AOC include only soil and sediment. A pathway evaluation for each media is discussed below and provided in Table 2.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes for wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

- Three composite soil samples are proposed to be collected from this AOC. Two of the samples will be collected at locations of expended rocket motors removed during the 1992 clearance action. The third sample will be randomly located in the eastern portion of the clearance area.
- Samples will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN. The metals list is based on expected metals contained in munitions used at Ft. Flagler.

Sediment Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

- One sediment sample will be collected from a water collection area within the AOC. The sample will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
- No surface water sample will be colleted. Because of the length of time since DoD use of this AOC, any accumulation of contaminants in Puget Sound is expected to be below analytical detection limits.

Conceptual Site Model – Live Grenade Court

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Live Grenade Court is located in the southeast corner of the FUDS and State Park just north of the Practice Grenade Court AOC (Figure 10). The location was identified from a War Department map (Attachment A) obtained during the TPP meeting. The AOC is assumed to be have been used between 1942 and 1954 similar to other troop training activities at Ft. Flagler.

Current and Future Land Use

- The AOC is located on State Park land.
- The use of the property is expected to continue as a State Park.

Former Range Use

- The court ranges were assumed to be used by the Army between 1942 and 1954.
- The courts were used for training in the use of live (explosive) and/or training hand grenades.
- Grenades were thrown from individual throwing bays constructed from sandbags or concrete, or from a trench.
- Grenades were thrown toward targets in an impact area approximately 25 yards (yd) from the throwing line (see Figure 11).
- A danger area of approximately 600 ft would have been established around each court.

MEC Evaluation

Types of MEC

- The munitions used included the Mk II fragmentation hand grenade.
- M21 practice grenades, which contained only small spotting charges of black powder, may also have been used.
- A potential hazard from MEC exists in unexploded grenades.

Surface Exposure Pathway

- The potential route of human exposure to MEC or munitions debris includes direct contact by vehicles, foot traffic, or handling. Human exposure would potentially include park workers and visitors.
- The potential route of wildlife exposure to MEC or munitions debris would be by direct contact.

Subsurface Exposure Pathway

- The potential routes of human exposure to MEC or munitions debris would be through intrusive activity or geologic instability (erosion, freeze-thaw, etc.).
- The potential route of wildlife exposure to MEC or munitions debris would be by burrowing activities or geologic instability.

An analysis of the exposure pathways and receptors for MEC is provided in Table 2.

MEC Evaluation/Investigation Needed

The presence of MEC in the Live Grenade Court is unknown. Visual reconnaissance aided by a handheld magnetometer will be performed by a trained UXO technician. The reconnaissance will traverse across the AOC to identify MEC or MEC debris. However, it should be noted that the area is heavily forested with underbrush that may present obstacles to the reconnaissance.

MC Evaluation

Types of MC

- The anticipated MC at the explosive munitions ranges is primarily residual explosive compounds from grenades that underwent high-order (normal) or low-order detonation, or from undetonated munitions. The explosive charges used in the Mk II grenades were 2 ounces of TNT (or E.C. blank fire smokeless powder, consisting largely of nitrocellulose, in older models).
- To a lesser degree, there is a potential for the presence of elevated concentrations of metals from the grenade housing and components which are made primarily from cast iron and steel.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Live Grenade Range, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area in small ponds or puddles. Sediment serves as a potential source for surface water, groundwater, and air contamination. There is no established surface water drainage at the AOC. The only surface water is Puget Sound. Surface water will be evaluated via sediments.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Potential exposure media at the explosive munitions ranges include soil, surface water/sediment, and groundwater. Figure 11 illustrates the CSM for this AOC. A pathway evaluation for these media is discussed below and provided in Table 2.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes of wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

- One composite soil sample is proposed to be collected from this AOC. The sample will be located following completion of the visual reconnaissance and identification of MEC or MEC debris. The sample location will be selected from an identified MEC debris location. If no MEC debris is identified, the sample location will be near the center of the AOC.
- Samples will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives.

Sediment Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

- No sediment samples will be collected from this AOC. The location of the AOC is relatively flat and overland flow is not expected.
- No surface water sample will be colleted. Because of the length of time since DoD use
 of this AOC, any accumulation of contaminants in Puget Sound is expected to be below
 analytical detection limits.

Conceptual Site Model – Practice Grenade Court

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Practice Grenade Court AOC was identified from an undated (circa 1945) map (Attachment A) showing ranges and training area at Ft. Flagler. The court location is shown on Figure 10.

Current and Future Land Use

- The AOC is located in the southeast corner of the FUDS boundary and the State Park.
- The AOC is within a heavily forested area with underbrush.
- The future use of the AOC is expected to continue as a State Park.

Former Range Use

- The AOC is assumed to be have been used between 1942 and 1954 similar to other troop training activities at Ft. Flagler.
- The courts were used for training in the use of practice and/or training hand grenades.
- Grenades were thrown from individual throwing bays constructed from sandbags or concrete, or from a trench.
- Grenades were thrown toward targets in an impact area approximately 25 yd from the throwing line (see Figure 11).
- No danger area would have been established around a practice grenade court.

MEC Evaluation

Types of MEC

- The munitions used at the practice courts would have included the Mk1A1 training grenades, an inert device made of cast iron with the approximate shape, size, and weight of an actual hand grenade.
- The munitions used at the practice courts may also have included the M21 practice grenades, reusable devices which contained only small charges of black powder to simulate the detonation of a live grenade.
- There is not a significant hazard from MEC associated with the practice courts, based on the training devices used, and as indicated in Table 1.

MEC Evaluation/Investigation Needed

A visual reconnaissance will be conducted to document current conditions.

MC Evaluation

Types of MC

The small quantity of black powder (consisting of potassium nitrate, sulfur, and charcoal) associated with training grenades does not pose a significant risk of environmental contamination, as indicated in Table 1.

MC Evaluation/Investigation Needed

• No sampling is required for the Practice Grenade Courts.

Conceptual Site Model – Rifle Range AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Rifle Range AOC is shown on Figure 12. The ASR identified that there was a rifle range near the lighthouse when Ft. Flagler was first built. The butt to this range was torn down in 1932 to salvage lead and copper from the expended bullets. A new range was built on the same location during World War II.

There is now an interpretive trail at the rifle range location. The target area was cleared of brush by State parks volunteers and one of the targets was reconstructed. The configuration of this range is firing from south to north, which is different from the configuration shown in the ASR. The berm in front of the targets is clearly visible and State Park volunteers have reported that a wall was built behind the targets to protect the power plant below Battery Lee.

Current and Future Land Use

- Currently, the AOC is part of the State Park, near the lighthouse at Marrowstone Point.
- The AOC has hiking trails traversing though it.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources - Rifle Range

• The ASR identified that the Rifle Range was used between 1942 and 1954 for small arms use. However, the use of the range area likely preceded 1942 to as early as 1900.

MEC Evaluation

Types of MEC

 Because this AOC was used for small arms only, MEC (other than small arms) is not expected to be present. The potential for live small arms rounds exists, but these do not pose a significant explosive hazard.

Surface Exposure Pathway

 Because there is no MEC with significant explosive hazard at this AOC, the surface exposure pathway is incomplete.

Subsurface Exposure Pathway

 Because there is no MEC with significant explosive hazard at this AOC, the subsurface exposure pathway is incomplete.

MEC Evaluation/Investigation Needed

 Visual reconnaissance will be performed within the Rifle Range AOC to map the range configuration and support MC sampling.

MC Evaluation

Types of MC

The anticipated MC at the Ft. Flagler Rifle Range AOC is lead from small arms.
 Propellants (single- or double-base powder) for the small arms are not thought to pose a significant impact.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Rifle Range AOC, soil is the primary medium of concern because of possible MC in the soil from training activities. The soil also serves as a secondary source of potential air, sediment, surface water, or groundwater contamination.
- Sediment/Surface Water: Sediments may accumulate in the area through ponding of precipitation. The sediment also serves as a secondary source for surface water and groundwater contamination. There are one or more ponds in the area between the firing points and targets. These are not considered to be a pathway because of their location well in front of the targets and it is understood that these may have been constructed after the use of the range ended in 1954.
- Groundwater: Groundwater is considered a potentially affected media because it is present within 100 ft of ground surface. However, the groundwater pathway is not complete as there are no downgradient groundwater users in the area.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Rifle Range AOC include only soil and sediments. A pathway evaluation for each media is discussed below and provided in Table 2.

Figure 13 illustrates the CSM for the Rifle Range and potential pathway of MC contamination.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes for wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

• Two composite soil samples are proposed to be collected from this AOC near the location of the target berm. Samples will be analyzed for lead only.

Sediment/Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with sediments.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated sediment include ingestion of and direct contact with sediment.

Receptors

- Park workers and visitors.
- Wildlife.

MC Sediment Evaluation/Investigation Needed

• One sediment sample will be collected from a water collection area in front of the target berm where runoff would be expected. The sample will be analyzed for lead only.

Conceptual Site Model – Demolition Area AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Demolition Area AOC is shown on Figure 14. This AOC was not identified until the TPP meeting, when the location was shown on an old War Department map (Attachment A). The AOC is located in the northwest corner of the FUDS in an embayment. The War Department map indicated the area was within a tidal zone that flooded at each high tide. The area has since been backfilled with gravel and soil to create a picnic and camping area that is several feet above the high tide mark. The depth to the detonation area may be as much as 10 ft.

Current and Future Land Use

- Currently, the AOC is part of the State Park, near the lower campground.
- The AOC is used for picnicking, camping, and beach combing.
- The use as a State Park will likely continue into the foreseeable future.

Potential Contaminant Sources - Demolition Area

• There is no mention of the dates of use for the Demolition Area. However, based on use of other training ranges and maneuver areas the likely period of use is 1942 to 1954.

MEC Evaluation

Types of MEC

The types of MEC destroyed at this AOC are unknown. However, on the War Department map legend the words "Rifle Grenade" were written under "Demolition Area." This may indicate that rifle grenades (M6A1, M7A1, M28, and M29 rockets) used at the Debarkation Area and Rocket Range were the munitions destroyed at the AOC. There is also the potential that discarded high explosives from the artillery batteries were also detonated at this location.

Surface Exposure Pathway

Because this AOC has been backfilled with at least several feet of backfill and may be as much as 10 ft, no MEC or MEC debris is at the surface. Therefore, the surface exposure pathway is incomplete.

Subsurface Exposure Pathway

• The Demolition Area has been backfilled and at a depth below ground surface by as much as 10 ft. The subsurface exposure pathway is incomplete, unless heavy equipment excavation was to occur.

MEC Evaluation/Investigation Needed

• No visual reconnaissance will be performed within the Demolition Area AOC. The Demolition Area is covered with backfill material.

MC Evaluation

Types of MC

The anticipated MC at the Demolition Area is sheet metal from the M6A1, M7A1, M28, and M29 rocket casings and explosives from the rockets and propellants and explosives from the artillery batteries.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Demolition Area AOC, subsurface soil is the primary medium of concern because of possible MC in the soil covered by backfill material. The AOC has been covered with as much as 10 ft of backfill. The surface soil is an incomplete pathway. Subsurface soil is considered a potentially complete pathway only if subsurface excavation were to occur. The subsurface soil also serves as a secondary source of potential surface water contamination.
- Sediment: Because the AOC is located in the beach area, all solid media is considered soil and therefore sediment is not present.
- Surface Water: The surface water body that would be impacted would be the small estuary that is connected to Puget Sound. This pathway is potentially complete.
- Groundwater: Groundwater is considered a potentially affected media. However, the AOC is at the beach and groundwater directly interfaces with Puget Sound, the surface water body. The groundwater would be saline and not used for a drinking water source. This pathway is incomplete as there is no downgradient user.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Demolition Area AOC include only soil and surface water. A pathway evaluation for each media is discussed below and provided in Table 2.

Figure 15 illustrates the CSM for the Demolition Area and potential pathway of MC contamination.

Soil Exposure Pathway

Exposure Routes

The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work. • The potential routes for wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Plants may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

No surface or subsurface soil sampling will be performed at this AOC. There is no surface soil pathway at this AOC. The subsurface soil pathway is to saline water linked Puget Sound. The saline water within the buried subsurface is routinely flushed by tidal action and if any impacts were there they have likely been diluted by the flushing action.

Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated sediment include incidental ingestion and dermal contact with surface water.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated surface water include ingestion of and direct contact with surface water.

Receptors

- Park workers and visitors.
- Wildlife.

MC Surface Water Evaluation/Investigation Needed

No surface water samples will be collected from Puget Sound. The water body is very large and water moves in and out of the beach area via tidal action. Any accumulation of contaminants in the water is expected to be below analytical detection limits and levels of concern.

Conceptual Site Model – Quartermaster Wharf Area AOC

The CSM evaluates potential exposure pathways related to range operation and configuration relative to physical features and land use. Based on the CSM, sampling schemes are proposed for each area to evaluate potential human health and ecological impacts. Historical photos of the ranges (if available) are carefully examined for possible disturbances or other site features of interest in order to focus the efforts on areas where MC contamination is most likely to occur.

The Quartermaster Wharf Area is a single AOC shown on Figure 16. The outline of this AOC is taken from the ASR. The Quartermaster Wharf Area AOC consists of the beach south of the old wharf.

Current and Future Land Use

- Currently, the AOC is part of the State Park, and is located on the eastern shore of the Park, near Battery Wansboro.
- The AOC is on the beach located south of the old wharf.
- The use as a State Park will likely continue into the foreseeable future.

<u>Potential Contaminant Sources – Quartermaster Wharf Area</u>

- The ASR identified this AOC as a disposal area where several rounds of .30-caliber ammunition was recovered by a park volunteer.
- It is thought that damaged or unwanted supplies were disposed to the beach.

MEC Evaluation

Types of MEC

• The only reported munitions recovered from this area are small arms rounds. However, other ordinance may have been disposed.

Surface Exposure Pathway

• The surface exposure pathway is for park workers or visitors to step on or pick up MEC.

Subsurface Exposure Pathway

• The subsurface pathway would be by digging activities by park workers or park visitors. Note that this beach is not used for shell fish gathering.

MEC Evaluation/Investigation Needed

 A visual reconnaissance will be performed within the Quartermaster Wharf Area to document current conditions.

MC Evaluation

Types of MC

• The anticipated MC at the Quartermaster Wharf Area AOC is lead from small arms and explosives from small arms or munitions discarded on the beach.

Overview of Pathways

Affected media and potential pathways for MC include:

- Soil: At the Quartermaster Wharf Area AOC, soil (beach sand) is the primary medium of concern because of possible MC in the soil from disposal activities. The soil also serves as a secondary source of surface water contamination.
- Sediment: Because this AOC is on the beach sediments are not present. This is an incomplete pathway.
- Surface Water: The only surface water is Puget Sound, a very large, tidal, saltwater body that contains abundant ecological receptors.
- Groundwater: Because of the presence of Puget Sound, movement of MC to groundwater would likely not occur as the salt water from Puget Sound flushes the near surface groundwater body in the vicinity of the beach.
- Air: Air is a potential medium of concern because of the possibility of inhalation of contaminated soil particles. However, air is not an affected media under current land use, thus the pathway is incomplete.

Exposure media at the Quartermaster Wharf Area AOC include soil and surface water. A pathway evaluation for each media is discussed below and provided in Table 2.

Soil Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated soils include incidental ingestion of and dermal contact with contaminated media, as well as inhalation of soil particulates during intrusive work.
- The potential routes of wildlife exposure to contaminated soils include ingestion of and direct contact with contaminated media. Aquatic organisms may uptake MC and then subsequently be eaten by wildlife. Burrowing animals may ingest MC-contaminated soil and subsequently be eaten by predators.

Receptors

- Park workers and visitors.
- Wildlife.

MC Soil Evaluation/Investigation Needed

• One composite soil sample is proposed to be collected from this AOC. The sample will be analyzed for explosives only. No analysis for lead or other metals will be performed, because the area was also used for disposal of items other than munitions.

The likelihood of differentiating between MC (metals or lead) from munitions and those from other refuse or disposed item would not be possible.

Surface Water Exposure Pathway

Exposure Routes

- The potential routes of human exposure to contaminated surface water include and dermal contact with surface water. Incidental ingestion is not expected as Puget Sound is a salt water body and not palatable for consumption.
- The potential routes of wildlife (including aquatic organisms) exposure to contaminated surface water include ingestion of and direct contact with surface water.

Receptors

- Park workers and visitors.
- Wildlife.

MC Surface Water Evaluation/Investigation Needed

No surface water samples will be collected. Because of the length of time since the DoD use of this AOC and the size of the body of water, any accumulation of contaminants in the water is expected to be below analytical detection limits and levels of concern.

Data Gaps

- The SI being performed at Ft. Flagler will identify MEC and MC impacts to soil and sediments at the FUDS.
- The presence of MEC was established at the Ft. Flagler Rocket Range following a clearance action in 1992 by the discovery of live 2.36-inch rockets and MEC debris. It is uncertain whether additional MEC is present south of the area cleared at the Rocket Range.
- No other MEC has been reported.

Results of the current status of data requirements with respect to MEC and MC for the AOCs are summarized below:

AOC	Presence of MEC	Presence of MC	Proposed Inspection Activities
	None, based on	None, based on	
Range Complex	configuration and	configuration and	Visual reconnaissance.
	use	use	
Ammunition Bunker	Unknown	Unknown	Visual reconnaissance. Contingency sampling if MEC or MEC debris is found. Analyze for select metals and explosives.
Transition Range 1	Small arms	Unknown	Collect two soil samples and one sediment sample. Analyze for lead.
Transition Range 2	Small arms	Unknown	Collect two soil samples and one sediment sample. Analyze for lead.
Gas Chamber	None	None	Visual reconnaissance.
Rifle Grenade/Anti- Tank Rocket Range	Potential in areas adjacent to 1992 UXO clearance	Unknown	Visual reconnaissance. Collect three soil samples and one sediment sample. Analyze for select metals and explosives.
Live Grenade Court	Unknown	Unknown	Visual reconnaissance. Collect one soil sample. Analyze for select metals and explosives.
Practice Grenade Court	None	None	Visual reconnaissance.
Rifle Range	Small arms	Unknown	Visual reconnaissance. Collect two soil samples and one sediment sample. Analyze for lead.
Demolition Area	None	Unknown	None; AOC is buried and there are no exposure pathways.
Quartermaster Wharf Area	Small arms	Unknown	Visual reconnaissance. Collect one soil sample. Analyze for explosives.

Proposed Sampling Scheme

Proposed Field Investigation

The proposed field investigation and sampling to be conducted at Ft. Flagler is detailed below. The investigation approach will be defined in more detail in an SSWP that will be submitted to WDOE and other stakeholders for review. The SSWP will reference technical details including sampling and analytical methods that are described in the *Type I Work Plan, Site Inspections at Multiple Sites* (Work Plan) prepared by Shaw and submitted to USACE as final in February 2006.

Reconnaissance

A visual reconnaissance will be performed in the areas surrounding the artillery batteries to document the absence of MEC and current site conditions. The reconnaissance will be primarily visual as the areas surrounding the batteries are generally mowed grass.

A visual reconnaissance will be performed in the area surrounding the Ammunition Bunker to evaluate the presence/absence of MEC and MEC debris and current site conditions. The reconnaissance will be primarily visual as the current area surrounding the bunker is mowed grass.

A visual reconnaissance of portions of the Rifle Grenade/Anti-Tank Rocket Range will be performed to assess the presence/absence of MEC within the eastern portion of the AOC. The reconnaissance will be conducted by a qualified UXO technician, with the aid of a handheld magnetometer to assess the presence or absence of MEC within a portion of the AOC. Several transects will be walked during which visual observations and magnetic anomalies will be noted. Transects will be recorded using a global positioning system (GPS), and appropriate features influencing the survey will be noted, such as vegetation density and type, topography, etc. If MEC is found, the qualified UXO technician will attempt to make a determination of the hazard, and appropriate notifications will be made as detailed in the Work Plan and SSWP. Note that the area proposed for a visual reconnaissance is very heavily forested with heavy underbrush and many fallen trees. The UXO technician will attempt to perform reconnaissance; however, if the underbrush becomes too thick, the reconnaissance will be abandoned.

A visual reconnaissance, aided by a magnetometer, of AOCs will be performed prior to any sampling. Although MEC is not expected to be present on the land surface, a magnetometer-assisted, visual inspection will be conducted by a qualified UXO technician at suspect locations within the AOC. A GPS will be used to record discovered MEC, munitions debris, and sample point locations. Digital photographs will be taken to document significant features.

Soils

Surface soil samples will be collected at a depth of approximately 0 to 6 inches below ground surface. Surface soil samples will be composite samples (7-point, wheel pattern with 2-foot radius). The proposed soil sampling for the AOCs at Ft. Flagler is summarized on Table 3 and is described below.

One contingency sample will be collected from the Ammunition Bunker if evidence of MEC or MEC debris is located during the visual reconnaissance. The contingency soil sample will be analyzed for select metals and explosives, including nitroglycerin and PETN.

Two soil samples each will be collected from Transition Range 1 and Transition Range 2 near the location of the target berm in each range. Samples will be analyzed for lead only.

Three soil samples will be collected from the Rifle Grenade/Anti-Tank Rocket Range. Two soil samples will be collected from locations where MEC or debris was located during the 1992 TCRA and one sample will be collected from a location in the eastern part of the clearance area where the visual reconnaissance will be performed. Samples will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.

One soil sample will be collected from the Live Grenade Court following completion of the visual reconnaissance. The sample will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.

Two soil samples will be collected from the Rifle Range near the location of the target berm. Samples will be analyzed for lead only.

One soil sample will be collected from the beach south of Quartermaster Wharf. The sample will be analyzed for explosives (including nitroglycerin and PETN) only.

Sediment

Sediment samples will be collected from 0 to 2 inches depth but will be discrete samples in order to retrieve material from specific, localized, water collection areas. The proposed sediment sampling for the AOCs at Ft. Flagler is summarized on Table 3 and is described below.

One sediment sample each will be collected from Transition Range 1 and Transition Range 2. Sediment samples will be collected from water collection areas and analyzed for lead only.

One sediment sample will be collected from a water collected area within the Rifle Grenade/Anti-Tank Rocket Range AOC. The sample will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.

One sediment sample will be collected from a water collection area in front of the target berm at the Rifle Range where runoff would be expected. The sample will be analyzed for lead only

Analyses

Soil samples will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) or lead only by U.S. Environmental Protection Agency (USEPA) SW-846 Method 6020A. Sediment samples will also be analyzed for the same metals or lead only by Method 6020A. Soil and sediment samples may have been impacted by small

arms fire; samples will be passed through an ASTM No. 10 (2-mm) wire mesh sieve at the laboratory prior to analysis for metals in order to remove coarser particles and foreign objects, including large metallic fragments from bullets, which have a low degree of bioavailability (Interstate Technical and Regulatory Council, 2003, *Characterization and Remediation of Soils at Closed Small Arms Firing Ranges*).

Soil and sediment samples will be analyzed for explosives by USEPA SW-846 Method 8330A and for nitroglycerine and PETN by Method 8330A (Modified).

Background Sampling

Ten background soil, one beach sample, and one background sediment samples will be collected. The composite soil sample locations will be determined in the field in areas that do not appear to be have been impacted by past site operations. The background samples will be analyzed for Target Analyte List metals, plus molybdenum only. The soil background samples will be used to develop an upper tolerance limit for comparison of metals soil concentrations at the target areas. The background sediment sample data will provide data to compare sediment samples to background values. The proposed background sampling is summarized in Table 3.

TPP Meeting Notes and Data Quality Objectives

Technical Project Planning and Development of Data Quality Objectives

- The USACE TPP process is a four-phase process:
 - Identify the current project,
 - Determine data needs,
 - Develop data collection options, and
 - Finalize data collection program.
- The purpose of TPP is to develop DQOs that document how the project makes decisions.
- DQOs are intended to capture project-specific information such as the intended data use(s), data needs, and how these items will be achieved.
- Information captured through DQOs will be used as a benchmark for determining whether identified objectives are met.

TPP Phases

Phase I: Identify the Current Project

1. Team members identified to date include: USACE – representatives from the Omaha Design Center and the Seattle District, Shaw as a USACE contractor, Washington Department of Ecology, Washington State Parks, and USEPA Region 10.

Question: Is there any person or organization missing from this Team?

DNR own property at Quartermaster Wharf; Mike Nelson will contact.

Federal property (Coast Guard and NOAA) near the Rifle Range.

Washington F&W owns western end of spit.

Mike Nelson will determine need to contact Indian tribes.

EPA not involved beyond courtesy review of documents.

Steve Hahn is State Parks real estate contact.

- 2. The AOCs are identified as:
 - Range Complex
 - Battery Bankhead
 - Battery Calwell
 - Battery Downes
 - Battery Gratton
 - Battery Lee

- Battery Rawlins (Anti-torpedo Boat Battery)
- Battery Revere
- Battery Wansboro
- Battery Wilhelm
- Anti-Aircraft Artillery Battery
- Transition Range 1
- Gas Chamber
- Rocket Range
- Transition Range 2
- Rifle Range

Question: Are there any other AOCs to be identified?

Yes. See discussion in TPP Summary.

3. Based on information available about the site and shared through discussions with USACE, are there concerns about this area that have been expressed by the Washington Department of Ecology, USEPA, or Washington State Parks, as well as by landowners.

Question: Are there additional concerns or issues from landowners or other stakeholders regarding the Ft. Flagler area?

Stakeholders discussed whether additional public notification is required.

Question: Are there any administrative or stakeholder concerns or constraints that would prevent site inspection activities from going forward on the decision path for this site?

Quartermaster Wharf is protected site with known archaeological interest.

Ted Smith can provide contact for SHPO.

Agreed that December will be a good time for field work because of light public use.

Discussed posting of documents to a public web site and agreed that draft documents would not be posted.

Agreed to WDOE request to include responses to their comments in final documents.

Phase II: Determine Data Needs

4. Existing site information includes an INPR Supplement and ASR both prepared by the USACE in 2004 and 2005, respectively. In addition, a TCRA was completed in 1992 at the Rocket Range.

Question: Are there any other pertinent documents relating to the site available?

State parks can provide GIS data showing current Parks facilities

5. The site-specific approach for this SI involves collating and assessing available site information, to include site geology, hydrogeology, groundwater, surface water, ecological information, human use/access, and current and future land uses, as well as considering conduct of site inspection and sampling activities.

Question: Are there any other site aspects/information that should be considered?

None identified.

6. Based on site use, soil is the primary affected medium at Ft. Flagler. Sediment/surface water is a potential pathway of MC because of the contact with park workers and visitors and wildlife and impacts to Puget Sound. Groundwater is not considered a pathway as there are no nearby downgradient wells. Air is also a potential pathway if soil particles become airborne. Considering current and future land use, primary receptors of any contaminants that may be present would most likely be individuals and animals using the area.

Question: Do team members concur with the CSM?

MEC will only be evaluated at the Rocket Range.

MC will be evaluated at the Transition Range 1, Rocket Range, and Rifle Range.

MC potential contaminants of concern (PCOCs) are select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives at the Range Complex and Rocket Range, and lead only at the Transition Range 1 and Rifle Range.

No sampling at the Gas Chamber.

Exposure pathways are through soils and sediments/surface water.

General agreement with approach with additional AOCs

7. Technical considerations and/or constraints need to be identified and addressed before conducting any additional sampling, and would depend on the approach and additional data needs decided upon by team members.

Questions:

- Are any data missing?
- What is the nature of needed data?
- What information is necessary to support a decision of No Department of Defense Action Indicated (NDAI) or further action with regards to MEC? Is reconnaissance during the SI, together with the historical record of a munitions clearance at the time of range closure and a period of approximately 50 years without known MEC-

related incidents, considered sufficient to determine the need for NDAI versus further action with respect to MEC?

- What data gaps would additional data meet for making a decision about the site?
- Are there any considerations/constraints that need to be addressed for collecting additional data?

Addressed by other sections. Additional AOCs have been identified and added.

Phase III: Develop Data Collection Options

8. Proposed approach:

- 1. Conduct surface reconnaissance with magnetometer at the Rifle Grenade/Anti-Tank Rocket Range for MEC.
- 2. Find suitable soil background sample locations (10 total) and sample.
- 3. Find suitable sediment background sample location (1 total) and sample.
- 4. Collect composite soil samples and analyze for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives at the Ammunition Bunker, Rifle Grenade/Anti-Tank Rocket Range, and Live Grenade Court, for lead only at Transition Ranges 1 and 2 and Rifle Range, and for explosives only at the Quartermaster Wharf Area.
- 5. Collect discrete sediment samples from water collection areas at one location each at the Ammunition Bunker, Transition Ranges 1 and 2, Rifle Grenade/Anti-Tank Rocket Range, and Rifle Range. Analyze for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives at the Ammunition Bunker and Rifle Grenade/Anti-Tank Rocket Range, and for lead only at the Transition Ranges 1 and 2 and Rifle Range.

Question: Based on the desired decision endpoints and information known to date, what additional information is needed to reach a determination of NDAI or further action?

- The following reconnaissance results would support a recommendation for further action with respect to MEC:
 - Direct evidence is found of the presence of MEC, other than small arms, or evidence of potential MEC that is inconsistent with the Rocket Range CSM (e.g., debris from rockets, hand grenades, land mines.
 - Direct evidence of MEC is not found, but abundant munitions debris (other than from small arms) and/or magnetic anomalies are identified suggesting a potential for the presence of unexploded spotting charges or other MEC.
- The following reconnaissance results would support a recommendation for NDAI with respect to MEC:

- Direct evidence of MEC is not found; isolated munitions debris and/or magnetic anomalies consistent with the Rocket Range CSM are identified.
- No evidence of MEC, munitions debris, or magnetic anomalies are identified.

Question: Are the stakeholders in agreement with the sampling approach program?

Sampling approach developed for additional AOCs as noted earlier.

Question: Are the stakeholders in agreement with the proposed approach for collecting background data?

Sampling approach developed for additional AOCs as noted earlier.

Phase IV: Finalize Data Collection Program

9. What concentrations of PCOCs (metals and explosives) lead to decision end-points? Note: Washington State standards are provided in Tables 4, 5, and 6.

Question: Are these the correct standards to be applied as screening values for human health and ecological risk assessment?

WDOE confirmed these are appropriate subject to further review of the document. Defer to Region IX PRGs if no Washington standards.

Question: Are there any additional sampling and analysis methodologies needed for all team members to arrive at a decision end-point?

None identified.

Question: Given the additional sampling and analysis methodologies, are there impacts to the project schedule that need to be accommodated?

None identified.

Data Quality Objectives

Upon agreement at the TPP meeting, the following decision rules will be applied with regard to MC sampling results:

- Below risk-based screening levels = NDAI;
- Above risk-based screening levels and background = RI/FS.

The following expanded project objectives have been developed.

Objective 1: Determine if the site requires additional investigation or can be recommended for NDAI based on the presence or absence of MEC.

DQO #1 – Utilizing trained UXO personnel and handheld magnetometers, a visual search will be conducted searching for physical evidence to indicate the presence of MEC (rockets, hand grenades, land mines), MEC on the surface, munitions debris, and soil discoloration indicative of explosives). The visual search will consist of a meandering path along trails and in accessible areas. The following decision rules will apply:

- The following reconnaissance results would support a recommendation for further action with respect to MEC:
 - Direct evidence is found of the presence of MEC (from historical records or SI activities), other than incidental small arms rounds, or evidence of potential MEC that is inconsistent with the rocket range CSM (e.g., debris from munitions other than rockets, hand grenades, or land mines).
 - Direct evidence of MEC is not found, but abundant munitions debris and/or magnetic anomalies, other than from small arms, are identified suggesting a potential for the presence of unexploded MEC.
- The following reconnaissance results would support a recommendation for NDAI with respect to MEC:
 - Direct evidence of MEC is not found; isolated munitions debris and/or magnetic anomalies consistent with the air-to-ground gunnery range CSM are identified.
 - No evidence of MEC, munitions debris, or magnetic anomalies are identified.
- If there is indication of an imminent MEC hazard, the site may be recommended for a TCRA.

Objective 2: Determine if the site requires additional investigation or can be recommended for NDAI based on the presence or absence of MC above screening values.

DQO#2 – Soil and sediment samples will be collected and analytical results will be compared to screening values for human health and ecological risk assessment, and to background values for naturally occurring substances. The following decision rules will apply:

- If sample results are less than human health and ecological screening values, the site will be recommended for NDAI relative to MC.
- If sample results exceed both human health screening values and background values, the site will be recommended for additional investigation.
- If sample results do not exceed human health screening values but do exceed both ecological screening values and background values, additional evaluation of the data will be conducted in conjunction with the stakeholders to determine if additional investigation is warranted

Objective 3: Obtain data required for HRS scoring.

Data required for HRS scoring are identified in the HRS Data Gaps worksheet.


Objective 4: Obtain data required for MRSPP ranking.


Data required for MRSPP ranking are identified in the MRSPP worksheet.


Next Steps

- Shaw will prepare the TPP Memorandum and distribute for concurrence.
- Shaw will prepare the SSWP for review and comment.
- USACE will obtain necessary ROEs.
- Shaw will collect samples.
- Shaw will prepare the SI Report.
- Scheduling of a 2nd TPP meeting will occur as agreed upon by team members.

Figures










XREF Files: IMAGE Files:

 OFFICE
 DRAWN BY
 DRAWING NUMBER
 116188SJ-A58

Shaw Environmental, Inc.









U.S. ARMY CORPS OF ENGINEERS OMAHA DESIGN CENTER


FIGURE 6


CONCEPTUAL SITE MODEL TRANSITION RANGE


FORT FLAGLER MILITARY RESERVATION




Shaw® Shaw Environmental, Inc.












XREF Files: IMAGE Files:


File: N:\cad\DWG\116188-FUDS\116188SJ-a70.dwg Layout: Layout User: Karen.Black Oct 04, 2006 - 1:32pm

 OFFICE
 DRAWN BY
 DRAWING NUMBER
 116188SJ-A70










XREF Files: IMAGE Files:

 OFFICE
 DRAWN BY
 DRAWING NUMBER
 116188SJ-A71



RECEPTORS:


- Park Workers Doing Excavation
- Biota (shell fish)

CONCEPTUAL SITE MODEL
DEMOLITION AREA

FORT FLAGLER MILITARY RESERVATION



Shaw® Shaw Environmental, Inc.



Tables

Table 1
Potential MEC and MC at Ft. Flagler Military Reservation

AOC	Subrange	Munitions	Munitions Constituents	Land Use Controls
Range Complex	Battery Bankhead	12-inch Mortar, M1889 MI	Propellant single base (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), HE Projectile – Explosive D (Ammonium picrate)	No
	Battery Calwell	6-inch rapid fire, M1903	Propellant (nitrocellulose) double- base (nitrocellulose and nitroglycerin) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), Practice projectile – inert, HE projectile – TNT	
	Battery Downes	3-inch, M1903	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), HE Projectile – TNT	
	Battery Gratton	6-inch rapid fire, M1903	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), Practice projectile – inert, HE Projectile – Explosive D (Ammonium picrate)	
	Battery Lee	5-inch rapid fire, M1897	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), projectile - unknown	
	Battery Rawlins	10-inch Rifle, MII	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), projectile – unknown	
	Battery Revere	10-inch Rifle, MII	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), projectile – unknown	
	Battery Wansboro	3-inch, M1903	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), Practice Projectile – inert, HE Projectile – TNT	
	Battery Wilhelm	12-inch Rifle, M1888 MII	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), HE Projectile – Explosive D (Ammonium picrate)	

Table 1 (Cont.) Potential MEC and MC at Ft. Flagler Military Reservation

AOC	Subrange	Munitions	Munitions Constituents	Land Use Controls
Range Complex (cont.)	Anti-Torpedo Boat Battery	90-mm M1	Propellant single-base (nitrocellulose), double-base (nitrocellulose and nitroglycerin) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine)	
	Anti-Aircraft Artillery Battery	3-inch, M1917M1A2	Propellant (nitrocellulose) or triple base (nitrocellulose, nitroglycerin, and nitroguanidine), Practice projectile – inert, HE Projectile – Explosive D (Ammonium picrate)	
Ammunition Bunker	NA	Small Arms Hand grenade, riot, ABC-M25A1	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin) propellant CN	No
		Rocket M28, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate, RDX, TNT	
		Rocket practice, M29, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate	
		Rocket M6A1, 2.36-inch Anti-Tank	Ballistite (nitrocellulose and nitroglycerin), Pentolite (TNT & PETN)	
		Rocket Practice M7A1, 2.36- inch Anti- Tank	Ballistite (nitrocellulose and nitroglycerin)	
		Mk II Hand Grenade Frag.	TNT, flaked or granular, older models used E.C. blank fire smokeless powder, Perchlorate in fuze	
		M21 Practice Hand grenade	Black powder (potassium nitrate, sulfur, charcoal), Perchlorate in fuze	
		Mk 1A1 Practice Hand Grenade	Inert	
Transition Range 1	NA	Small arms	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin) propellant	No

Table 1 (Cont.) Potential MEC and MC at Ft. Flagler Military Reservation

AOC	Subrange	Munitions	Munitions Constituents	Land Use Controls
Transition Range 2	NA	Small arms	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin) propellant	No
Gas Chamber	NA	Hand grenade, riot, ABC- M25A1	CN	No
Rocket Range	NA	Rocket M28, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate, RDX, TNT	No
		Rocket practice, M29, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate	
		Rocket M6A1, 2.36-inch Anti-Tank	Ballistite (nitrocellulose and nitroglycerin), Pentolite (TNT & PETN)	
		Rocket Practice M7A1, 2.36- inch Anti- Tank	Ballistite (nitrocellulose and nitroglycerin)	
Live Grenade Court	NA	Mk II Hand Grenade Frag.	TNT, flaked or granular, older models used E.C. blank fire smokeless powder, Perchlorate in fuze	No
		M21 Practice Hand grenade	Black powder (potassium nitrate, sulfur, charcoal), Perchlorate in fuze	
Practice Grenade		M21 Practice Hand Grenade	Black powder (potassium nitrate, sulfur, charcoal), Perchlorate in fuze	No
Court No. 120	NA	Mk 1A1 Practice Hand Grenade	Inert	
Rifle Range	NA	Small arms	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin)	No
Demolition Area	NA	Small Arms	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin) propellant	No
		Hand grenade, riot, ABC- M25A1	CN	
		Rocket M28, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate, RDX, TNT	
		Rocket practice, M29, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate	

Table 1 (Cont.) Potential MEC and MC at Ft. Flagler Military Reservation

AOC	Subrange	Munitions	Munitions Constituents	Land Use Controls
Demolition Area (cont.)	NA	Rocket M6A1, 2.36-inch Anti-Tank	Ballistite (nitrocellulose and nitroglycerin), Pentolite (TNT & PETN)	
		Rocket Practice M7A1, 2.36- inch Anti- Tank	Ballistite (nitrocellulose and nitroglycerin)	
		Mk II Hand Grenade Frag.	TNT, flaked or granular, older models used E.C. blank fire smokeless powder, Perchlorate in fuze	
		M21 Practice Hand grenade	Black powder (potassium nitrate, sulfur, charcoal), Perchlorate in fuze	
		Mk 1A1 Practice Hand Grenade	Inert	
Quarter Master Wharf	NA	Small Arms	Lead, single-base (nitrocellulose) or double-base (nitrocellulose and nitroglycerin) propellant	No
		Hand grenade, riot, ABC- M25A1	CN	
		Rocket M28, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate, RDX, TNT	
		Rocket practice, M29, 3.5-inch	Nitroglycerin, nitrocellulose, potassium perchlorate	
		Rocket M6A1, 2.36-inch Anti-Tank	Ballistite (nitrocellulose and nitroglycerin), Pentolite (TNT & PETN)	
		Rocket Practice M7A1, 2.36- inch Anti- Tank	Ballistite (nitrocellulose and nitroglycerin)	
		Mk II Hand Grenade Frag.	TNT, flaked or granular, older models used E.C. blank fire smokeless powder, Perchlorate in fuze	
		M21 Practice Hand grenade	Black powder (potassium nitrate, sulfur, charcoal), Perchlorate in fuze	
		Mk 1A1 Practice Hand Grenade	Inert	

Table 2
MEC and MC Exposure Pathway Analysis

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
		MEC in the form of unfired propellant cartridges or	Surface Soil None.	Incomplete pathway.	Incomplete pathway.	Not applicable.	• None	Visual reconnaissance to document current site condition.
	MEC	discarded HE projectiles. Presence of MEC unlikely based on use and configuration	Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	None.	Historical documents do not indicate range has buried MEC.
			Soil None.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	• None
Range Complex	МС	Metals from discarded projectiles, explosives (nitrocellulose, nitroglycerin, TNT, ammonium picrate). Presence of MEC unlikely based on use and configuration	• None	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	• None
			Groundwater None.	- Incomplete pathway.	Incomplete pathway	Incomplete pathway.	None.	None.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Table 2
MEC and MC Exposure Pathway Analysis

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
		MEC in the form of 2.36-inch and 3.5-inch rockets, hand grenades, land mines, and small arms are a potential hazard.	MEC in the form of unexploded rockets, hand grenades, and land mines are a hazard.	Complete pathway. Exposure routes Vehicle and foot traffic.	Complete pathway. Exposure routes Foot traffic.	Complete pathway.Exposure routesFoot traffic.	Occurrence of MEC in bunker area is unknown.	Visual reconnaissance will be conducted to: Assess MEC occurrence.
	MEC		MEC in the form of unexploded rockets, hand grenades, and land mines are a hazard.	Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	 Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability. 	 Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability. 	Occurrence of MEC in bunker area is unknown.	No subsurface survey will be performed.
Ammunition			Directly affected media. Potential metals and explosives contamination. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	 Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna. 	Analytical data for metals and explosives in soil do not exist.	One contingency sample if MEC or MEC debris is located. Analyze sample for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
Bunker	MC	Metals from rockets, grenades, etc., explosives (nitroglycerin, nitrocellulose, TNT, RDX), potassium perchlorate.	Sediment/Surface Water Potentially affected media – ponds. Potential metal and explosive contamination. Fate & Transport: Via surface runoff from impacted soil.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Potentially complete pathway. Exposure routes: Ingestion, Direct contact by area fauna and aquatic organisms.	Analytical data for metals in sediment/surface water do not exist.	One contingency sample from water collection area. Analyze samples for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
			Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC in the form of unfired small arms rounds are a potential hazard. Low explosive hazard.	Surface Soil MEC (unfired ammunition) are a hazard. No MEC found.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	None; very low likelihood of finding MEC after 50 years of heavy use.
			Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	None; subsurface burial not documented.	Historical documents do not indicate ranges have buried MEC.
Transition			Soil Directly affected media. Potential lead from bullets. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination. Sediment/Surface Water Potentially effected media a panda.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work. Potentially complete pathway.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work. Potentially complete pathway.	Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna. Potentially complete pathway.	Analytical data for lead in soil do not exist. Analytical data for lead in	Collect two soil samples from location of backstop berm and analyze for lead only. Collect one sediment sample from water collection area and analyze for lead only.
Range 1	МС	Lead from bullets.	 Potentially affected media – ponds. Potential lead contamination. Fate & Transport: Via surface runoff from impacted soil. 	Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	 Exposure routes: Ingestion, Direct contact by area fauna and aquatic organisms. 	sediment/surface water do not exist.	to tout only.
		Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.	
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC in the form of unfired small arms rounds are a potential hazard. Low explosive hazard.	Surface Soil MEC (unfired ammunition) are a hazard. No MEC found.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	None; very low likelihood of finding MEC after 50 years of heavy use.
			Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	None; subsurface burial not documented.	Historical documents do not indicate ranges have buried MEC.
Transition Range 2		Soil Directly affected media. Potential lead from bullets. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination. Sediment/Surface Water Potentially affected media – ponds. Potential lead contamination. Fate & Transport: Via surface runoff from impacted soil.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work. Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work. Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and	 Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna. Potentially complete pathway. Exposure routes: Ingestion, Direct contact by area fauna and aquatic 	Analytical data for lead in soil do not exist. Analytical data for lead in sediment/surface water do not exist.	Collect two soil samples from location of backstop berm and analyze for lead only. Collect one sediment sample from water collection area and analyze for lead only.	
		Zead from Sunets.	Groundwater • Potentially affected media. • Potential metals and explosives	Inhalation of surface water. Incomplete pathway. No local wells.	Inhalation of surface water. Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			contamination. • Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil. Air • Not an affected media under current	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None
			Not an affected media under current land use.					

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC not anticipated (riot control gas grenades.	Surface SoilMEC - none.No MEC found.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	Visual reconnaissance to verify site conditions.
	MEC	Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	• None	None.	
			Directly affected media. Potential CN-1 residue; however, CN-1 not expected to persist over 50 years in soil Fate & Transport: Secondary source of potential surface water, sediment, and air contamination.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	• None.
Gas Chamber	МС	Riot Gas (CN-1).	Sediment/Surface Water Potentially affected media – ponds. Potential CN-1 residue; however, CN-1 not expected to persist over 50 years. Fate & Transport: Via surface runoff from impacted soil.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	• None.
			Potentially affected media. Potential CN-1 residue; however, CN-1 not expected to persist for over 50 years. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potential	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
		MEC in the form of 2.36-inch and 3.5-inch rockets, hand grenades, land mines are a potential hazard.	MEC in the form of unexploded rockets, hand grenades, and land mines are a hazard. MEC found historically, cleanup in 1992, may still be MEC in unsurveyed areas.	 Complete pathway. Exposure routes Vehicle and foot traffic. 	Complete pathway.Exposure routesFoot traffic.	Complete pathway.Exposure routesFoot traffic.	Occurrence of MEC in area south of Fire Break Road in eastern AOC is unknown.	Visual reconnaissance with magnetometer will be conducted to: Assess MEC occurrence. Practice MEC avoidance.
	MEC		MEC in the form of unexploded rockets, hand grenades, and land mines are a hazard. MEC found historically, cleanup in 1992, may still be MEC in unsurveyed areas.	Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	Occurrence of MEC in area south of Fire Break Road in eastern AOC is unknown.	Visual reconnaissance with magnetometer will be conducted to: - Assess MEC occurrence. - Practice MEC avoidance.
Rifle Grenade/ Anti-Tank Rocket Range			Soil Directly affected media. Potential metals and explosives contamination. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna.	Analytical data for metals and explosives in soil do not exist.	Collect three soil samples. Two at documented MEC locations from 1992 clearance and one from a location in eastern portion of clearance area. Analyze samples for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
Kange	МС	Metals from rockets, grenades, etc., explosives (nitroglycerin, nitrocellulose, TNT, RDX), potassium perchlorate.	Sediment/Surface Water Potentially affected media – ponds. Potential metal and explosive contamination. Fate & Transport: Via surface runoff from impacted soil.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Potentially complete pathway. Exposure routes: Ingestion, Direct contact by area fauna and aquatic organisms.	Analytical data for metals in sediment/surface water do not exist.	Collect one sediment sample from water collection area. Analyze samples for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives, including nitroglycerin and PETN.
			Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposi	ure Routes and Potenti	al Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC in the form of <i>unexploded</i> grenades used at this site.	Surface & Subsurface Soils Unexploded grenades are a hazard.	Complete pathway (MEC found). Exposure routes: foot traffic Intrusive activity Geologic instability	 Complete pathway. Exposure routes: Foot traffic Geologic instability 	 Potentially complete pathway. Exposure routes: Foot traffic Burrowing Geologic instability 	Presence of MEC is unknown	Visual reconnaissance aided by a magnetometer sweeps will be conducted to: Identify MEC or MEC debris Practice MEC avoidance, and Select appropriate sample locations.
			Incomplete detonation of explosive munitions	Potentially complete pathway. Exposure routes (during intrusive work): incidental ingestion, dermal contact, and inhalation of soil particulates.	Potentially complete pathway. Exposure routes: incidental ingestion, dermal contact, and inhalation of soil particulates.	Potentially complete pathway. Exposure routes: ingestion, and direct contact by area fauna.	Analytical data for metals or explosives do not exist.	One composite soil sample AOC will be analyzed for select metals (aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel) and explosives.
Live Grenade Court	МС	Metals, Explosives (TNT, older models used E.C. blank fire smokeless powder) Perchlorate in fuze	Surface Water/Sediment Potentially affected media – ponds. Potential metal and explosive contamination. Fate & Transport: Via surface runoff from impacted soil.	Potentially complete pathway. Exposure routes: incidental ingestion, dermal contact, and inhalation.	Potentially complete pathway. Exposure routes: incidental ingestion, dermal contact, and inhalation.	Potentially complete pathway. Exposure routes: ingestion, and direct contact by area fauna.	Analytical data for metals and explosives do not exist.	No sediment samples will be collected. Area is small and no water collection areas at AOC.
			Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil Air Not an affected media	Incomplete pathway. No local wells. Incomplete Pathway	Incomplete pathway. No local wells. Incomplete Pathway	Incomplete pathway. No local wells. Incomplete Pathway	No groundwater analytical data exist for metals. None	No groundwater samples will be collected. None

Range Area	MMRP	Potential	Affected Media	Exposi	re Routes and Potenti	al Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	No indication of munitions being used at this AOC other than inert training grenades and practice grenades with small black powder charges.	Surface & Subsurface Soils • A mechanism by which explosive munitions would be present has not been identified.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	None	Visual reconnaissance to verify site conditions.
Practice Grenade			Soil Not Applicable	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None
Court	МС	No PCOCs in black powder.	Surface Water/Sediment Not Applicable	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None
			Air Not Applicable	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC in the form of unfired small arms rounds are a potential hazard. Low explosive hazard.	Surface Soil MEC (unfired ammunition) are a hazard. No MEC found.	Incomplete pathway.	Incomplete pathway.	Incomplete pathway.	• None	Visual reconnaissance; very low likelihood of finding MEC after 50 years of heavy use.
			Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	None; subsurface burial not documented.	Historical documents does not indicate ranges have buried MEC.
	MC	Lead from bullets.	Directly affected media. Potential lead from bullets. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna.	Analytical data for lead in soil do not exist.	Collect two soil samples from location of backstop berm and analyzed for lead only.
Rifle Range			Sediment/Surface Water Potentially affected media – ponds. Potential lead contamination. Fate & Transport: Via surface runoff from impacted soil.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water.	 Potentially complete pathway. Exposure routes: Ingestion, Direct contact by area fauna and aquatic organisms. 	Analytical data for lead in sediment/surface water do not exist.	Collect one sediment sample from water collection area and analyzed for lead only.
			Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

Range Area	MMRP	Potential	Affected Media	Exposu	re Routes and Potentia	l Receptors		
& Type	Concern	Contaminant of Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)
	MEC	MEC in the form of 2.36-inch and 3.5-inch rockets, hand grenades, land mines, and small arms are a potential hazard.	Surface Soil No MEC at surface, Site has been backfilled in the form of unexploded rockets, hand grenades, and land mines are a hazard. Subsurface Soil MEC in the form of unexploded rockets, hand grenades, and land mines are a hazard	Complete pathway. Exposure routes Vehicle and foot traffic. Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	Complete pathway. Exposure routes Foot traffic. Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability.	 Complete pathway. Exposure routes Foot traffic. Potentially complete pathway. Exposure routes Intrusive activities. Geologic instability. 	Occurrence of MEC in subsurface soil is unknown.	None None
Demolition Area		Metals from rockets, grenades, etc., explosives (nitroglycerin, nitrocellulose, TNT, RDX), potassium perchlorate.	Soil Directly affected media. Potential metals and explosives contamination. Fate & Transport: Secondary source of potential surface water, sediment, and air contamination. Sediment/Surface Water	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna.	None in surface soil Analytical data for	• None
	МС		 Potentially affected media – Puget Sound. Potential metal and explosive contamination. Fate & Transport: via tidal action in subsurface soil. 	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of Puget Sound water.	 Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of surface water. 	 Potentially complete pathway. Exposure routes: Ingestion, Direct contact by area fauna and aquatic organisms. 	Analytical data for metals or explosives in Puget Sound do not exist.	 None. Puget Sound is a large body of saline water any contamination resulting from the demolition area has been flushed out via tidal action.
			Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None

& Type	Concern	Contaminant of	· · · · · · · · · · · · · · · · · ·		re Routes and Potentia	- zieceptors				
		Concern (PCOCs)	(Potential Contaminant Sources) (Fate and Transport)	Site Workers/ Contractor Personnel	Residents/ General Public	Ecological (Biota)	Data Gaps	Activities to Address Data Gaps (i.e., Sampling)		
1	MEC	MEC in the form of unfired small arms rounds a potential hazard. Potential for other MEC.	MEC (unfired ammunition) are a hazard. Small arms rounds found.	Potentially complete pathway • Exposure routes Foot traffic.	Potentially complete pathway • Exposure routes Foot traffic.	Incomplete pathway.	Presence of MEC	A visual reconnaissance will be performed along the beach.		
			Subsurface Soil None	Incomplete pathway.	Incomplete pathway.	Not applicable.	None; subsurface burial not documented.	Historical documents do not indicate ranges have buried MEC.		
Quarter-			Directly affected media. Potential lead and other metals from munitions. Potential for explosives Fate & Transport: Secondary source of potential surface water and air contamination.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Incidental ingestion, Dermal contact, and Inhalation of soil particulates during intrusive work.	Potentially complete pathway. Exposure routes: Ingestion, and Direct contact by area fauna.	Analytical data for metals and explosives in soil do not exist.	Collect one soil sample from near the wharf sample will be analyzed for explosives only. Because the site was used for disposal of non-MEC related items differentiation between metals from MEC and refuse is not possible.		
master Wharf Disposal Site	мс	Lead from bullets.	Sediment/Surface Water • No sediment occurrence, site is a beach.	Incomplete Pathway.	Incomplete Pathway.	Incomplete Pathway.	• None	• None		
			Groundwater Potentially affected media. Potential metals and explosives contamination. Fate & Transport: Migration of metals directly to groundwater is unlikely because of relatively low mobility of metals lead in soil	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	Incomplete pathway. No local wells.	No groundwater analytical data exist for metals.	No groundwater samples will be collected.		
			Not an affected media under current land use.	Incomplete Pathway	Incomplete Pathway	Incomplete Pathway	None	None		

Table 3
Proposed Sampling Approach

		Conta	aminants of Con	icern	
AOC	Media	Lead	Metals [*]	Explosives	Comments
Range	Soil		-	-	No sampling proposed.
Complex	Sediment		-	-	No sampling proposed.
Ammunition	Soil		1	1	Contingency sample.
Bunker	Sediment		1	1	Contingency sample.
Transition	Soil	2			Samples from backstop berm.
Range 1	Sediment	1			Collect sample from water collection area.
Transition	Soil	2			Samples from backstop berm.
Range 2	Sediment	1			Collect sample from water collection area.
Gas Chamber	Soil				No complete pathway.
Gas Chamber	Sediment				No complete pathway.
Rifle Grenade/Anti-	Soil		3	3	Collect 2 samples from known MEC location, collect one sample from random location.
Tank Rocket Range	Sediment		1	1	Collect sample from water collection area.
Live Grenade	Soil		1	1	Collect sample from location of MEC or MEC debris.
Court	Sediment				-
Practice	Soil	`			
Grenade Court	Sediment				
Diffe Dones	Soil	2			Samples from backstop berm.
Rifle Range	Sediment	1			Collect sample from water collection area.
Demolition	Soil				
Area	Sediment	-			
Quartermaster	Soil			1	
Wharf	Sediment				
Background	Soil		10		A series of background samples will be collected in area undisturbed by
Dackground	Sediment		1		past operations to establish a baseline for metals.
	Sample Totals	9	18	8	

Notes:

Surface soil samples are composite samples (7-point, wheel pattern with 2-foot radius). All other samples are discrete grab samples.

^{*} Metals to be analyzed include aluminum, chromium, copper, iron, lead, manganese, molybdenum, and nickel. Quality control samples will be addressed in the SSWP.

 $\label{thm:continuous} Table~4$ Human Health Screening Criteria for Soil/Sediment at Fort Flagler, WA a

		GUGN	Proposed Screening	Region 9 Residential PRGs ^b (mg/kg)	Region 9 Industrial PRGs ^b (mg/kg)	Wasl Method B Level - Unrestricted ^d (mg/kg)	hington Departm Leaching - Phase 3 Model - Unrestricted ^e (mg/kg)	ent of Ecology - Method B Level - Industrial ^f (mg/kg)	Soil Cleanup Le Leaching - Phase 3 Model Industrial ^g (mg/kg)	vels ^c Natural Background Level ^h (mg/kg)
Analyte	Abbreviation	CAS No.	Value	, 0 0,	, 0 0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(mg/kg)	(IIIg/kg)	(IIIg/Kg)	(IIIg/Kg)
Hexahydro-1,3,5-trinitro-1,3,5-triazine	RDX	121-82-4	4.4	4.4	16					
Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine	HMX	2691-41-0	3,100	3,100	31,000					
2,4,6-Trinitrotoluene	2,4,6-TNT	118-96-7	16	16	57					
1,3,5-Trinitrobenzene	1,3,5-TNB	99-35-4	1,800	1,800	18,000					
1,3-Dinitrobenzene	1,3-DNB	99-65-0	6.1	6.1	62					
2,4-Dinitrotoluene ¹	2,4-DNT	121-14-2	0.72	0.72	2.5					
2,6-Dinitrotoluene ¹	2,6-DNT	606-20-2	0.72	0.72	2.5					
2-Amino-4,6-dinitrotoluene	2-Am-DNT	35572-78-2	12	12	120					
2-Nitrotoluene	2-NT	88-72-2	0.88	0.88	2.2					
3-Nitrotoluene	3-NT	99-08-1	730	730	1,000					
4-Amino-2,6-dinitrotoluene	4-Am-DNT	19406-51-0	12	12	120					
4-Nitrotoluene	4-NT	99-99-0	12	12	30					
Nitrobenzene	NB	98-05-3	20	20	100					
Nitroglycerin	NG	55-63-0	35	35	120					
Methyl-2,4,6-trinitrophenylnitramine	Tetryl	479-45-8	610	610	6,200					
Pentaerythritol tetranitrate	PENT	78-11-5	0.50	0.50						
Aluminum	Al	7429-90-5	76,000	76,000	100,000					32,600
Chromium (Total)	Cr	7440-47-3	210	210	450					48
Copper	Cu	7440-50-8	3,100	3,100	41,000					36
Iron	Fe	7439-89-6	23,000	23,000	100,000					58,700
Lead	Pb	7439-92-1	400	400	800		3,000		3,000	24
Manganese	Mn	7439-96-5	1,800	1,800	19,000					1,200
Molybdenum	Mo	7439-98-7	390	390	5,100					
Nickel	Ni	7440-02-0	1,600	1,600	20,000					48

Table 4

Human Health Screening Criteria for Soil/Sediment at Fort Flagler, WA^a

CLARC = Cleanup Level and Risk Calculation WAC = Washington Administrative Code mg/kg = milligrams per kilogram C = Value for carcinogen N = Value for noncarcinogen

a If laboratory cannot meet any of the preferred QLs with routine SW 846 methodology (as supported by MDLs that are no greater than 1/3 QL), laboratory's QL must be identified in laboratory submittal as failing to meet the QL. Some screening values cannot be obtained with routine methodology to the QL. In those cases, the QL achievable with a routine SW 846 methodology would be accepted.

b Region 9 Preliminary Remediation Goals (PRG) table; October 2004. Values are based on residential and industrial exposure to single chemicals.

c Cleanup levels are established under the Model Toxics Control Act (MCTA) Cleanup Regulation. Chapter 173-340 WAC.

Values from Notes on Method A Cleanup Levels WAC 173-340-720, 740, and 745. Table 740-1, Table 5: Method B Calculations for Carcinogens for Soil Ingestion Plus Dermal Contact and Table 6: Method B Calculations for Carcinogens for Soil Ingestion Plus Dermal Contact. Based on unrestricted land use. From CLARC Notes updated on November 23, 2004.

Values from Notes on Method A Cleanup Levels WAC 173-340-720, 740, and 745, Table 740-1, Table 7: 3-Phase Model Assumptions and Results. Based on protection of groundwater. From CLARC Notes updated on November 23, 2004.

Values from Notes on Method A Cleanup Levels WAC 173-340-720, 740, and 745, Table 745-1, Table 5: Method C Industrial Calculations for Carcinogens for Soil Ingestion Plus Dermal Contact and Table 6: Method C Industrial Calculations for Carcinogens for Soil Ingestion Plus Dermal Contact. Based on industrial land use. From CLARC Notes updated on November 23, 2004.

^g Values from Notes on Method A Cleanup Levels WAC 173-340-720, 740, and 745, Table 745-1, Table 7: 3-Phase Model Assumptions and Results. Based on protection of groundwater. From CLARC Notes updated on November 23, 2004.

¹ Values from "Natural Background Soil Metals Concentrations in Washington State", Publication #94-115, October 1994. Based on data for Puget Sound.

¹ Carcinogenic DNT mixture values used if more conservative than noncarcinogenic isomer-specific values.

J Based on graphite furnace atomic absorption (GFAA) analysis.

Table 5
Selection of Ecological Soil Screening Toxicity Values for Constituents of Potential Ecological Concern (Washington Sites)

	Washington Dept of												
	Ecology ^a		Proposed Benchmarks									Final Proposed	
Parameter	Lowest Value for Plants/Soil Biota/ Wildlife	Region 5 ESLs b (2003)	U	on 7 ^c /kg)	U	on 8 ^d g/kg)	Regio (mg,		Other Va Talmage (1999) ^f LANL (20	et al. or	Potential Bioaccumulative Constituent? h	Ecological Screening Value Soil ⁱ	Practical Quantitation Limit
	(mg/kg)	(mg/kg)		_				_	(mg/kg			(mg/kg)	(mg/kg)
Metals/Inorganics			•										
Aluminum	50	NVA	50	EPA-R4	NVA		50	EPA-R4	5.5	LANL		50	20.0
Chromium (total)	42	0.4	26	SSL	26	SSL	26	SSL	2.3	LANL	Yes	42	1.0
Copper	50	5.4	60	ORNL	190	Dutch	60	ORNL	10	LANL	Yes	50	1.0
Iron	NVA	NVA	200	EPA-R4	NVA		200	EPA-R4	NVA			200	15.0
Lead	50	0.0537	11	SSL	11	SSL	11	SSL	14	LANL	Yes	50	1.0
Manganese	1100	NVA	100	EPA-R4	NVA		100	EPA-R4	50	LANL		1100	0.5
Molybdenum	2	NVA	2	ORNL	2	ORNL	2	ORNL	NVA			2	0.5
Nickel	30	13.6	30	ORNL	30	ORNL	30	ORNL	20	LANL	Yes	30	1.0
Explosive						1							
2,4-Dinitrotoluene	NVA	1.28	1.28	EPA-R4	NVA		1.28	EPA-R4	0.52	LANL		1.28	0.040
2,6-Dinitrotoluene	NVA	0.0328	0.0328	EPA-R4	NVA		0.0328	EPA-R4	0.37	LANL		0.0328	0.040
2-Amino-4,6-Dinitrotoluene	NVA	NVA	NVA		NVA		NVA		2.1	LANL		2.1	0.040
4-Amino-2,6-Dinitrotoluene	NVA	NVA	NVA		NVA		NVA		0.73	LANL		0.73	0.040
1,3-Dinitrobenzene	NVA	0.655	0.655	EPA-R4	NVA		0.655	EPA-R4	0.073	LANL		0.655	0.020
HMX	NVA	NVA	NVA		NVA		NVA		27	LANL		27	0.050
Nitrobenzene	40	1.31	1.31	EPA-R4	NVA		1.31	EPA-R4	2.2	LANL		40	0.020
RDX	NVA	NVA	NVA		NVA		NVA		7.5	LANL		7.5	0.075
1,3,5-Trinitrobenzene	NVA	0.376	0.376	EPA-R4	NVA		0.376	EPA-R4	6.6	LANL		0.376	0.020
2,4,6-Trinitrotoluene	NVA	NVA	NVA		NVA		NVA		6.4	LANL		6.4	0.040
2-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		2.0	LANL		2.0	0.075
3-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		2.4	LANL		2.4	0.050
4-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		4.4	LANL		4.4	0.040
Nitroglycerin	NVA	NVA	NVA		NVA		NVA		71	LANL		71	10
Tetryl	NVA	NVA	NVA		NVA		NVA		0.99	LANL		0.99	0.065
PETN	NVA	NVA	NVA		NVA		NVA		8600	LANL		8600	0.50

Table 5

Selection of Ecological Soil Screening Toxicity Values for Constituents of Potential Ecological Concern (Washington Sites)

NVA: No value available

- a Washington Department of Ecology, Toxics Cleanup Program, Table 749-3, Ecological Indicator Soil Concentrations for Protection of Terrestrial Plants and Animals. Developed under WAC 173-340-7493 (2)(a)(i).
- ^b Ecological Screening Levels (ESLs), USEPA Region V, August 2003.
- ^c USEPA Region 7: Catherine Wooster-Brown (Eco Risk Assessor) recommends the following hierarchy: USEPA EcoSSLs; ORNL Efroymson values; USEPA Region 4 values; other published values.
- ^d USEPA Region 8: Dale Hoff (Eco Risk Assessor) recommends the following hierarchy: USEPA SSLs; Dutch Intervention Values or ORNL Efroymson values.
- e USEPA Region 10: Joseph Goulet (Eco Risk Assessor) says Region 10 has no recommended hierarchy, therefore, values from the USEPA Region 7 Approach were used.
- f Talmage, S.S., D.M. Opresko, C.J. Maxwell, C.J.E. Welsh, F.M. Cretella, P.H. Reno, and F.B. Daniel, 1999, Nitroaromatic Munition Compounds: Environmental Effects and Screening Values, Rev. Environ. Contam. Toxicol.
- ^g Los Alamos National Laboratory (LANL), Eco Risk Database, Release 2.2, September 2005.
- h Potential bioaccumulative constituents will be evaluated in more detail, as some screening values do not take into account bioaccumulation.

Potential bioaccumulative potential from: Boaccumulation and Interpretation for the Purposes of Sediment Quality Assessment: Status and Needs (USEPA, 2000) and ODEQ EQSLVs (ODEQ, 2001).

- ⁱ Final Screening Value selected using the following hierarchy:
- 1. State Value (Washington)
- 2. USEPA Region State Located In (USEPA Region 10)
- 3. Lower of Talmage et al. (1999) or LANL (2005) values.

EPA-R4 = USEPA Region 4

LANL = Los Alamos National Laboratory

SSL = USEPA Eco Soil Screening Levels

Dutch = Dutch Intervention Values

ORNL = Oak Ridge National Laboratory Ecological PRGs (Efroymson et al.)

Other References:

- U.S. Environmental Protection Agency, 2005, *Guidance for Developing Ecological Soil Screening Levels (Eco-SSLs)*, Office of Solid Waste and Emergency Response, Website version last updated March 15, 2005: http://www.epa.gov/ecotox/ecossl.
- U.S. Environmental Protection Agency, 2001, Supplemental Guidance to RAGS: Region 4 Bulletins, Ecological Risk Assessment. Originally published November 1995.
 Website version last updated November 30, 2001: http://www.epa.gov/region4/waste/ots/ecolbul.htm.

Efroymson, R.A., Suter II, G.W., Sample, B.E. and Jones, D.S., 1997. Preliminary Remediation Goals for Ecological Endpoints. Lockheed Martin Energy Systems, Inc. (ORNL) ES/ER/TM-162/R2. Dutch Intervention Values:

Swartjes, F.A. 1999. Risk-based Assessment of Soil and Groundwater Quality in the Netherlands: Standards and Remediation Urgency . Risk Analysis 19(6): 1235-1249

The Netherlands Ministry of Housing, Spatial Planning and Environment's Circular on target values and intervention values for soil remediationhttp://www2.minvrom.nl/Docs/internationaal/S_12000.pdf and Annex A:

 $Target\ Values, Soil\ Remediation\ Intervention\ Values\ and\ Indicative\ Levels\ for\ Serious\ Contamination http://www2.minvrom.nl/Docs/internationaal/annexS_12000.pdf\ were\ also\ consulted.$

Table 6
Selection of Ecological Sediment Screening Toxicity Values for Constituents of Potential Ecological Concern (Washington Sites)

Parameter	Washington Dept. of Ecology Screening Level Values ^a (mg/kg) Freshwater	Region 5 Ecological Screening Levels ^b (mg/kg)	EPA Region (mg/kg)		EPA Region (mg/kg)		EPA Regio (mg/kg		Other Ecological Screening Levels ^f (mg/kg)		Potential Bioaccumulative Constituent? g	Final Ecological Screening Value Sediment h (mg/kg)	Practical Quantitation Limit (mg/kg)
Metals/Inorganics	etals/Inorganics												
Aluminum	NVA	NVA	NVA		NVA		NVA		2.80E+02	LANL		2.80E+02	20.0
Chromium	2.60E+02	4.34E+01	4.34E+01	MAC	4.34E+01	MAC	4.34E+01	MAC	5.60E+01	LANL	Yes	2.60E+02	1.0
Copper	3.90E+02	3.16E+01	3.16E+01	MAC	3.16E+01	MAC	3.16E+01	MAC	1.70E+01	LANL	Yes	3.90E+02	1.0
Iron	NVA	NVA	NVA		NVA		NVA		2.00E+01	LANL		2.00E+01	15.0
Lead	2.60E+02	3.58E+01	3.58E+01	MAC	3.58E+01	MAC	3.58E+01	MAC	2.70E+01	LANL	Yes	2.60E+02	1.0
Manganese	1.80E+03	NVA	NVA		NVA		NVA		7.20E+02	LANL		1.80E+03	0.5
Molybdenum	NVA	NVA	NVA		NVA		NVA		NVA			NVA	0.5
Nickel	4.60E+01	2.27E+01	2.27E+01	MAC	2.27E+01	MAC	2.27E+01	MAC	3.90E+01	LANL	Yes	4.60E+01	1.0
Explosives													
RDX	NVA	NVA	NVA		NVA		NVA		1.30E-01	TAL		1.30E-01	0.075
HMX	NVA	NVA	NVA		NVA		NVA		4.70E-02	TAL		4.70E-02	0.050
1,3,5-Trinitrobenzene	NVA	NVA	NVA		NVA		NVA		2.40E-02	TAL		2.40E-02	0.020
1,3-Dinitrobenzene	NVA	8.61E-03	NVA		NVA		NVA		6.70E-02	TAL		6.70E-02	0.020
2,4-Dinitrotoluene	NVA	1.44E-03	NVA		NVA		NVA		2.90E-01	LANL		2.90E-01	0.040
2,6-Dinitrotoluene	NVA	3.98E-03	NVA		NVA		NVA		1.90E+00	LANL		1.90E+00	0.040
2,4,6-TNT	NVA	NVA	NVA		NVA		NVA		9.20E-01	TAL		9.20E-01	0.040
2-Amino-4,6,-Dintrotoluene	NVA	NVA	NVA		NVA		NVA		7.00E+00	LANL		7.00E+00	0.040
4-Amino-2,6,-Dintrotoluene	NVA	NVA	NVA		NVA		NVA		1.90E+00	LANL		1.90E+00	0.040
2-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		5.60E+00	LANL		5.60E+00	0.075
3-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		4.90E+00	LANL		4.90E+00	0.050
4-Nitrotoluene	NVA	NVA	NVA		NVA		NVA		1.00E+01	LANL		1.00E+01	0.040
Nitrobenzene	NVA	1.45E-01	NVA		NVA		NVA		3.20E+01	LANL		3.20E+01	0.020
Nitroglycerin	NVA	NVA	NVA		NVA		NVA		1.70E+03	LANL		1.70E+03	10
Tetryl	NVA	NVA	NVA		NVA		NVA		1.00E+02	LANL		1.00E+02	0.065
PETN	NVA	NVA	NVA		NVA		NVA		1.20E+05	LANL		1.20E+05	0.50

Table 6

Selection of Ecological Sediment Screening Toxicity Values for Constituents of Potential Ecological Concern (Washington Sites)

NVA = No Value Available

Potential bioaccumulative potential from: Boaccumulation and Interpretation for the Purposes of Sediment Quality Assessment: Status and Needs (USEPA, 2000) and ODEQ EQSLVs (ODEQ, 2001).

- 1. State Value (Washington)
- 2. USEPA Region State Located In (USEPA Region 10)
- 3. Lower of Talmage et al. [TAL] (1999) or LANL (2005) values.

Note: The Talmage [TAL] screening values assume 10% organic carbon in the sediment.

MAC = MacDonald Consensus Values

EPRGs = Oak Ridge National Laboratory Ecological PRGs

ISQGs = Canadian Interim Sediment Quality Guidelines

LANL = Los Alamos National Laboratory

TAL = Talmage et al (1999)

Other References:

Efroymson, R.A., et al., 1997, Preliminary Remediation Goals (EPRGs), ORNL, ES/ER/TM-162/R2,

Canadian Interim Sediment Quality Guidelines (ISQGs) Summary Table, CCME, December 2003.

MacDonald, D.D, C.G. Ingersoll and T.A. Berger, 2000, Development and Evaluation of Consensus-Based Sediment Quality Criteria for Freshwater Ecosystems, Archives of Environmental Contamination and Toxicology 39:20-31.

^a Washington Department of Ecology, Creation and Analysis of Freshwater Sediment Quality Values in Washington State, July, 1997, Pub. No. 97-323a (Table 11).

^b Ecological Screening Levels (ESLs), USEPA Region V, August 2003.

^c USEPA Region 7: Catherine Wooster-Brown (Eco Risk Assessor) recommends the following hierarchy: MacDonald Consensus Values (MacDonald, 2000); ORNL Efroymson values (ORNL, 1977).

d USEPA Region 8: Dale Hoff (Eco Risk Assessor) recommends the following hierarchy: MacDonald Consensus Values (MacDonald, 2000); Canadian ISQG values (CCME, 2003) or ORNL Efroymson values (ORNL, 1977).

e USEPA Region 10: Joseph Goulet (Eco Risk Assessor) says Region 10 has no recommended hierarchy, therefore, values from the USEPA Region 7 Approach were used.

f Talmage, S.S., D.M. Opresko, C.J. Maxwell, C.J.E. Welsh, F.M. Cretella, P.H. Reno, and F.B. Daniel (TAL), 1999, Nitroaromatic Munition Compounds: Environmental Effects and Screening Values, Rev. Environ. Contam. Toxicol. or Los Alamos National Laboratory (LANL), Eco Risk Database, Release 2.2, September 2005.

g Potential bioaccumulative constituents will be evaluated in more detail, as some screening values do not take into account bioaccumulation.

^h Final Screening Value selected using the following hierarchy:

Draft Worksheets

Site Information Worksheet MRSPP Data Gaps HRS Data Gaps

Site Information Worksheet

 $Range\ Complex, Ammunition\ Bunker,\ Transition\ Ranges\ 1\ \&\ 2,\ Gas\ Chamber,\ Rifle\ Grenade/Anti-Tank\ Rocket$

Site: Range, Live and Practice Grenade Courts, Rifle Range, Demolition Area, Quartermaster Wharf Area

Project: Ft. Flagler Military Reservation

	Site Information Needed ^a	Suggested Means to Obtain Site Information	Potential Source(s) of Site Information	Responsible for Obtaining	Deadline for Obtaining Site Information
1	Background metals data	Sampling	Add background sampling	Shaw	For inclusion in TPP Memo
2	Locate MEC at Rocket Range	Site recon	Historical aerial photos/review historical documents	Shaw	For inclusion in Site Specific Work Plan
3	Schedule for sampling Washington sites	Consultation	Washington State Parks	Shaw	Prior to field work
4	Additional historical information	Records review	USACE Seattle District	Shaw	For inclusion in Site Specific Work Plan
5	Washington HH Screening Standards	WDOE regulations	WDOE	Shaw	For inclusion in TPP Memo
6	Washington Ecological Screening Standards	WDOE regulations	WDOE	Shaw	For inclusion in TPP Memo
7	Point of contact for community	Not applicable	USACE Seattle District	USACE	Before start of field work
8	Access agreements	Letters, call, or visit stakeholders	Letters/conversations with stakeholders	USACE	Before start of field work
9	Conceptual site model	Report review	CSMs prepared for AOCs	Shaw	For inclusion in TPP Memo
10	Threatened or endangered species within AOC	Phone	WA Fish and Wildlife U.S. Fish and Wildlife	Shaw	For inclusion in SSWP
11	Areas of cultural significance within AOC	SHPO	Phone SHPO	Shaw	For inclusion in SSWP

1

^a Refer to EM 200-1-2, Paragraphs 1.1.3 and 2.2.

Munitions Response Site Prioritization Protocol (MRSPP) Data Gaps 32 CFR Part 179

Ft. Flagler Military Reservation Range Complex Installation:

AOC: RMIS Range ID: F10WA0316

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
u	1	Munitions Type			Х	Propellant
atio	2	Source of Hazard			х	Former ground to sea and air to air artillery batteries
alus	3	Location of Munitions			х	No munitions reported from this MRA
Explosive Hazard Evaluation (EHE)	4	Ease of Access			х	No barrier
ard 1E)	5	Status of Property			х	Non-DoD control
lazard (EHE)	6	Population Density			х	< 100 persons per square mile
/e F	7	Population Near Hazard			х	26 or more structure
osi	8	Activities/Structures			х	Parks and recreational areas
jdx	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
Ш	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
	11	CWM Configuration			х	Historical evidence indicates that CWM are not present
riel	12	Sources of CWM			х	Historical evidence indicates that CWM are not present
ate uati	13	Location of CWM			х	Historical evidence indicates that CWM are not present
e M	14	Ease of Access			х	No barrier
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	15	Status of Property			х	Non-DoD control
Warfar Izard E (CHE)	16	Population Density			х	< 100 persons per square mile
cal Ha	17	Population Near Hazard			х	0 inhabited structures w/in 2 miles
Ĭ, Ĭ	18	Activities/Structures			х	Agricultural - livestock grazing
(C C)	19	Ecological and/or Cultural Resources			Х	Ecological resources present
	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			х	Groundwater not a pathway
_ 🛈	22	Surface Water (Human Endpoint) Data Element			х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Haz on (24	Surface Water (Ecological Endpoint) Data Element	Х	Evaluation Pending		
atic	25	Sediment (Ecological Endpoint) Data Element	х	Evaluation Pending		
lea ⁄alu	26	Surface Soil Data Element	х	Evaluation Pending		
тú	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
	28	HHE Module Score	Х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending	•	
Priority	Α	MRS Background Information	Х	Pending		

Ft. Flagler Military Reservation
Ammunition Bunker Installation:

AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
on	1	Munitions Type			х	Small Arms, 2.36-in and 3.5 inch Anti-tank rockets, inert AT/AV mines, Hand Grenades
Evaluation	2	Source of Hazard			Х	Ammunition bunker
/alı	3	Location of Munitions			X	No munitions reported from this MRA
Ú	4	Ease of Access				No barrier
lazard (EHE)	5	Status of Property			х	Non-DoD control
Haz (El	6	Population Density			х	< 100 persons per square mile
Ş	7	Population Near Hazard			х	26 or more structure
Explosive Hazard (EHE)	8	Activities/Structures			х	Parks and recreational areas
, dx	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
Ú	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/lat Iua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
re l Eva	14	Ease of Access			х	No barrier
rfai d E	15	Status of Property			х	Non-DoD control
Warfar azard E (CHE)	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			х	0 inhabited structures w/in 2 miles
m (€	18	Activities/Structures			Х	Agricultural - livestock grazing
C V	19	Ecological and/or Cultural Resources			Х	Ecological resources present
0	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element				Groundwater not a pathway
ρ Ψ	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Ha	24	Surface Water (Ecological Endpoint) Data Element	Х	Evaluation Pending		
lth ati	25	Sediment (Ecological Endpoint) Data Element	Х	Evaluation Pending		
lea 'alu	26	Surface Soil Data Element	Х	Evaluation Pending		
ᅩᇫ	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
	28	HHE Module Score	X	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	X	Pending		

Ft. Flagler Military Reservation
Transition Range 1 Installation:

AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Small Arms
	2	Source of Hazard			Х	Transition Range - small arms
ard IE)	3	Location of Munitions			Х	No munitions reported from this MRA
Explosive Hazard Evaluation (EHE)	4	Ease of Access			х	No barrier
e F	5	Status of Property			х	Non-DoD control
siv		Population Density			Х	< 100 persons per square mile
plo alu	7	Population Near Hazard			Х	26 or more structure
Ä	8	Activities/Structures			Х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/lat lua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e l Eva	14	Ease of Access			Х	No barrier
Warfar zard E (CHE)	15	Status of Property			х	Non-DoD control
Wa Zar (CF	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
l ĕ €	18	Activities/Structures			Х	Agricultural - livestock grazing
C in	19	Ecological and/or Cultural Resources			Х	Ecological resources present
0	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
ρÛ	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Ha	24	Surface Water (Ecological Endpoint) Data Element	Х	Evaluation Pending		
Health	25	Sediment (Ecological Endpoint) Data Element		Evaluation Pending		
lea alu	26	Surface Soil Data Element	Х	Evaluation Pending		
_ <u> </u>	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
	28	HHE Module Score	Х	Module Score Pending		
MRS		MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	X	Pending		

Ft. Flagler Military Reservation
Transition Range 2 Installation:

AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Small Arms
	2	Source of Hazard			Х	Transition Range - small arms
ard IE)	3	Location of Munitions			Х	No munitions reported from this MRA
Explosive Hazard Evaluation (EHE)	4	Ease of Access			Х	No barrier
e H	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo	7	Population Near Hazard			Х	26 or more structure
X A	8	Activities/Structures			х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
tio t	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/lat	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e l va	14	Ease of Access			Х	No barrier
Warfar azard E (CHE)	15	Status of Property			Х	Non-DoD control
Na zar (Ct	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
r Š	18	Activities/Structures			Х	Agricultural - livestock grazing
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	19	Ecological and/or Cultural Resources			Х	Ecological resources present
ပေ	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
p (iii	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Ha;	24	Surface Water (Ecological Endpoint) Data Element	Х	Evaluation Pending		
th atic	25	Sediment (Ecological Endpoint) Data Element	Х	Evaluation Pending		
eal	26	Surface Soil Data Element	Х	Evaluation Pending		
ΗÄ	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
	28	HHE Module Score	Х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	Х	Pending		

Installation: Ft. Flagler Military Reservation

AOC: Gas Chamber
RMIS Range ID: F10WA0316

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Riot Control
	2	Source of Hazard			Х	Evidence of no munitions
Explosive Hazard Evaluation (EHE)	3	Location of Munitions			Х	No munitions reported from this MRA
aza (EF	4	Ease of Access			Х	No barrier
e H	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo	7	Population Near Hazard			х	26 or more structure
X A	8	Activities/Structures			х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Evidence of no CWM, CN gas only
eri tio	12	Sources of CWM			Х	Former Training facility
/lat Iua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e .	14	Ease of Access			Х	No barrier
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	15	Status of Property			х	Non-DoD control
Wa Zar (Ct	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	26 or more structure
lä €	18	Activities/Structures			Х	Parks and recreational areas
S S	19	Ecological and/or Cultural Resources	Х	Ecological resources present		
0	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
p <u>≘</u>	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table			Х	Sediment not a pathway
Ha;	24	Surface Water (Ecological Endpoint) Data Element			Х	Surface Water not a pathway
lth atic	25	Sediment (Ecological Endpoint) Data Element			Х	Sediment not a pathway
eal	26	Surface Soil Data Element			Х	Soil not a pathway
— 💆	27	Supplemental Contaminant Hazard Factor			х	No complete pathways
	28	HHE Module Score	Х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending	•	
Priority	Α	MRS Background Information	х	Pending		

Installation:

Ft. Flagler Military Reservation
Rifle Grenade/Anti-Tank Rocket Range AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	High Explosive, propellant
	2	Source of Hazard			Х	Former Range
ard E)	3	Location of Munitions			Х	Suspected (historical evidence)
Explosive Hazard Evaluation (EHE)	4	Ease of Access			Х	No barrier
e F	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo alu	7	Population Near Hazard			Х	26 or more structure
ÄÀ	8	Activities/Structures			х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
tion	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
//at ua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e l eval	14	Ease of Access			Х	No barrier
Warfaı ızard E (CHE)	15	Status of Property			Х	Non-DoD control
Val Zar (Ct	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
ir Mg	18	Activities/Structures			Х	Agricultural - livestock grazing
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	19	Ecological and/or Cultural Resources			Х	Ecological resources present
S =	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
ן שַׁ בּן	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Haz on (24	Surface Water (Ecological Endpoint) Data Element			Х	Surface Water not a pathway
th atic	25	Sediment (Ecological Endpoint) Data Element	Х	Evaluation Pending		
Health valuatic	26	Surface Soil Data Element	Х	Evaluation Pending		
L Ä	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
	28	HHE Module Score	Х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Ft. Flagler Military Reservation
Live Grenade Court Installation:

AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Hand Grenades
	2	Source of Hazard			Х	Former Grenade Court
ard E)	3	Location of Munitions	Х			No munitions reported from this MRA
Explosive Hazard Evaluation (EHE)	4	Ease of Access			Х	No barrier
e F	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo alu	7	Population Near Hazard			Х	26 or more structure
Ä	8	Activities/Structures			Х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u>-</u> c	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
eric	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/lat lua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	14	Ease of Access			Х	No barrier
Warfaı ızard E (CHE)	15	Status of Property			Х	Non-DoD control
Wa (Cł	16	Population Density			Х	< 100 persons per square mile
Ha Ha		Population Near Hazard			Х	0 inhabited structures w/in 2 miles
l g g	18	Activities/Structures			Х	Agricultural - livestock grazing
C Pe	19	Ecological and/or Cultural Resources			Х	Ecological resources present
)	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
₽Û	22	Surface Water (Human Endpoint) Data Element			х	Surface Water not a pathway
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Ha	24	Surface Water (Ecological Endpoint) Data Element	Х	Evaluation Pending		
Health valuatic	25	Sediment (Ecological Endpoint) Data Element	Х	Evaluation Pending		
lea alu	26	Surface Soil Data Element	Х	Evaluation Pending		
	27	Supplemental Contaminant Hazard Factor		Evaluation Pending		
		HHE Module Score	Х	Module Score Pending		
MRS Priority	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	x	Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Ft. Flagler Military Reservation
Practice Grenade Court Installation:

AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Practice Hand Grenade
	2	Source of Hazard			Х	Former practice grenade court
ard IE)	3	Location of Munitions			Х	No munitions reported from this MRA
Explosive Hazard Evaluation (EHE)	4	Ease of Access			Х	No barrier
e H	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo	7	Population Near Hazard			Х	26 or more structure
EXI	8	Activities/Structures			Х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
eric	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
//at	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e l va	14	Ease of Access			Х	No barrier
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	15	Status of Property			Х	Non-DoD control
Nai zar (Ct	16	Population Density			Х	< 100 persons per square mile
al \ Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
nic Mg	18	Activities/Structures			Х	Agricultural - livestock grazing
C V	19	Ecological and/or Cultural Resources			Х	Ecological resources present
0 0	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
μ (ii	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway
E ar	23	Sediment (Human Endpoint) Data Element Table			Х	No known or suspected MC hazard
Health Hazard Evaluation (HHE)	24	Surface Water (Ecological Endpoint) Data Element			Х	No known or suspected MC hazard
atic	25	Sediment (Ecological Endpoint) Data Element			Х	No known or suspected MC hazard
Health valuati	26	Surface Soil Data Element			Х	No known or suspected MC hazard
ΗÄ	27	Supplemental Contaminant Hazard Factor			Х	No known or suspected MC hazard
	28	HHE Module Score	х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Ft. Flagler Military Reservation
Rifle Range
F10WA0316 Installation:

AOC: RMIS Range ID:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	Small Arms
	2	Source of Hazard			Х	Former small arms range
Explosive Hazard Evaluation (EHE)	3	Location of Munitions			Х	No munitions reported from this MRA
laza (EF	4	Ease of Access			Х	No barrier
e H	5	Status of Property			Х	Non-DoD control
siv	6	Population Density			Х	< 100 persons per square mile
plo	7	Population Near Hazard			Х	26 or more structure
EXI	8	Activities/Structures			Х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
tioi	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/lat Iua	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
e le le	14	Ease of Access			Х	No barrier
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	15	Status of Property			Х	Non-DoD control
Mai Zar (Ct	16	Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
ig €	18	Activities/Structures			Х	Agricultural - livestock grazing
C≷ Pe	19	Ecological and/or Cultural Resources			Х	Ecological resources present
0	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
υβ Θ	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway, due to large water body
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table	Х	Evaluation Pending		
Ha;	24	Surface Water (Ecological Endpoint) Data Element				Surface Water not a pathway, due to large water body
atic	25	Sediment (Ecological Endpoint) Data Element	Х	Evaluation Pending		
eal	26	Surface Soil Data Element	Х	Evaluation Pending		
ΞÄ	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
		HHE Module Score	х	Module Score Pending		
MRS Priority	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Ft. Flagler Military Reservation
Demolition Area Installation:

AOC: RMIS Range ID: F10WA0316

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	small arms, rifle grenade/anti-tank rockets, hand grenades
	2	Source of Hazard			Х	OB/OD area
ard E)	3	Location of Munitions				No munitions reported from this MRA
aza (Et	4	Ease of Access			Х	Burried under as much as 10 ft of soil
e H	5	Status of Property			Х	Non-DoD control
Explosive Hazard Evaluation (EHE)	6	Population Density			Х	< 100 persons per square mile
olo alu	7	Population Near Hazard			Х	26 or more structure
EX	8	Activities/Structures			х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			х	Historical evidence indicates that CWM are not present
tion	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
/ate	13	Location of CWM			х	Historical evidence indicates that CWM are not present
e l va	14	Ease of Access			Х	No barrier
Chemical Warfare Materiel (CWM) Hazard Evaluation (CHE)	15	Status of Property			Х	Non-DoD control
Nai zar (Ct	16	Population Density			Х	< 100 persons per square mile
al \ Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
ابت (<u>€</u>	18	Activities/Structures			Х	Agricultural - livestock grazing
S V	19	Ecological and/or Cultural Resources			Х	Ecological resources present
S =	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
T O	22	Surface Water (Human Endpoint) Data Element			х	Surface Water not a pathway, due to large water body
Health Hazard Evaluation (HHE)	23	Sediment (Human Endpoint) Data Element Table				Sediment not a pathway
Haz on (24	Surface Water (Ecological Endpoint) Data Element			Х	Surface Water not a pathway, due to large water body
th atic	25	Sediment (Ecological Endpoint) Data Element			х	Sediment not a pathway
eal	26	Surface Soil Data Element			Х	Surface soil not a complete pathway
E Y	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
ĺ	28	HHE Module Score	х	Module Score Pending		
MRS	29	MRS Priority (Based on Highest Hazard Evaluation Module Rating)		Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Installation:

Ft. Flagler Military Reservation

Quartermaster Wharf Disposal Area AOC:

Module	Table No.	Table Description	Data Gap	Potential Source of Information to Fill Data Gap	No Data Gap	Description of Known Data
	1	Munitions Type			Х	small arms
	2	Source of Hazard			Х	Disposal Area
ard IE)	3	Location of Munitions			Х	Only small arms reported
Explosive Hazard Evaluation (EHE)	4	Ease of Access			Х	unrestricted
e F	5	Status of Property			Х	Non-DoD control
siv		Population Density			Х	< 100 persons per square mile
blo alu	7	Population Near Hazard			Х	26 or more structure
M M	8	Activities/Structures			Х	Parks and recreational areas
	9	Ecological and/or Cultural Resources	Х	U.S. Fish and Wildlife, SHPO		
	10	EHE Module Score				60 to 70 EHE Rating D (Preliminary)
<u> </u>	11	CWM Configuration			Х	Historical evidence indicates that CWM are not present
tion	12	Sources of CWM			Х	Historical evidence indicates that CWM are not present
e Materiel valuation	13	Location of CWM			Х	Historical evidence indicates that CWM are not present
ire Materie Evaluation)	14	Ease of Access			Х	No barrier
Chemical Warfar (CWM) Hazard E (CHE)	15	Status of Property			х	Non-DoD control
Wa Zar (CH		Population Density			Х	< 100 persons per square mile
Ha	17	Population Near Hazard			Х	0 inhabited structures w/in 2 miles
ية <u>€</u>	18	Activities/Structures			Х	Agricultural - livestock grazing
S Pe	19	Ecological and/or Cultural Resources			Х	Ecological resources present
5	20	CHE Module Score				< 38 CHE Rating G (Preliminary)
	21	Groundwater Data Element			Х	Groundwater not a pathway
g <u>⊆</u>	22	Surface Water (Human Endpoint) Data Element			Х	Surface Water not a pathway, due to large water body
Health Hazard Evaluation (HHE)		Sediment (Human Endpoint) Data Element Table			Х	Sediment not a pathway
Ha;	24	Surface Water (Ecological Endpoint) Data Element			Х	Surface Water not a pathway, due to large water body
Health valuatic	25	Sediment (Ecological Endpoint) Data Element			Х	Sediment not a pathway
eal	26	Surface Soil Data Element	Х	Evaluation Pending		
- 5	27	Supplemental Contaminant Hazard Factor	Х	Evaluation Pending		
		HHE Module Score	х	Module Score Pending		
MRS	- 70	MRS Priority (Based on Highest Hazard Evaluation Module Rating)	х	Final Score Pending		
Priority	Α	MRS Background Information	х	Pending		

Fort Flagler Military Reservation HRS Data Gaps

Information required to complete the MEC-HRS data collection form:

Item	Number	Comment – Missing Data Element
1	1.8	Confirm the latitude / longitude of potential source(s) and the accuracy
		of the information (in meters)
2		Source scale (i.e., 1:24,000, etc.)
3	1.12	Site Permits
4	6	Water use (GW within 4 miles, SW within 15 miles)
5	6.1	Total drinking water population served
6	6.2	Type of drinking water supply system (GW or SW?)
7	6.3	Other water uses of GW within 4 miles
8	6.4	Depth to Aquifer
9	6.5	Other surface water uses
10	7.1	Existence of sensitive or potentially vulnerable environment

Attachment A

